

casterdepot.com

KEEPING THE WORLD ROLLING

FOR OVER 45 YEARS



WHERE TECHNOLOGY
MEETS INNOVATION



CasterDepot[®]

PRODUCT CATALOG | SELECTION GUIDE



P&H Casters Corporate Headquarters are located in Arlington, Texas

ABOUT P&H CASTERS

P&H Casters is a company with deep roots in providing exceptional products at an outstanding value. From our inception to now, we have remained steadfast with insightful engineering and commitment to our clients.

From the beginning, we have kept our name carved in the marketplace by standing apart from the competition, and today our products continue to raise the bar for the industry standards.

P&H products are manufactured on two continents and our market strength has expanded to encompass the globe. Our goal is to provide you with the best wheels and casters anywhere worldwide.



P&H operations located in Murrieta, California

OUR MISSION

We place the highest possible value on our partnership with you, and on ensuring that we provide you with the exact wheels and casters you need.

We value our clients' reputations, which is why P&H adheres to the strictest of quality control standards while also offering the best value possible.

We want you, our Client, to become well acquainted with and trust our exceptional Customer Service team. Once you know us, you will see that all our employees are the pulse and energy of P&H. They represent us well and will be there for your every need.

P&H Casters is strongly committed to being environmentally responsible and leaving a small footprint. We recycle, re-use, and reduce in every facet of our manufacturing and distributing operations.

Polyurethane Tread (85A)	TPR Tread (76A)	Phenolic (75D)	High Temp Phenolic	Poly on Steel (95A)	Rubber on Steel (75A)	Steel	Polyolefin (60D)	Pneumatic	Solid Urethane (55D)	Solid Cushioned Rubber Tire (80A)	SELECTION GUIDE	
250 TO 1200	200 TO 700	300 TO 1400	250 TO 1000	700 TO 1500	380 TO 500	700 TO 1500	700 TO 1500	270 TO 600	200 TO 550	500 TO 1500	Wheel Capacity	SPECIFICATIONS
3" TO 8"	3" TO 8"	4" TO 8"	4" TO 6"	4x2" TO 8x2"	4x2" TO 8x2"	4x2" TO 8x2"	3" TO 8"	6" TO 16"	4" TO 8"	6" TO 12"	Wheel Diameter	
10 20 30 40	10 20 30 40	10 20 30 40	20 40	40	40	40	10 20 30 40	40	20 40	40	Wheel Series	
												FLOOR SURFACE
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Asphalt	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Brick & Ceramic Tile	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Concrete	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Epoxy	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Hardwood	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Linoleum	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Steel Smooth	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Steel Ribbed	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Terrazzo	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Wood Block & Planking	
												CONDITIONS
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Mild Chemicals	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Harsh Chemicals	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Small Metal Scraps	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Large Metal Scraps	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Excessive Heat 160° plus F	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Excessive Cold minus 20° F	

CasterDepot®

STEMS: An attachment method comprised of a threaded post, round post, square post, or grip ring post. These stems offer a wide variety of options to work with a range of products.

TOP PLATE: A flat, horizontal plate, usually with four bolt holes, which are used to attach the caster to the equipment. The caster is then bolted or welded onto the equipment.

KINGPIN: (Staked kingpin, or nut & bolt assembly, or integral kingpin assembly). A threaded nut & bolt or staked assembly which holds the swivel assembly together. An “integral” kingpin and top plate are of a one piece construction. Threaded kingpins can be attuned to balance for wear in the swivel assembly.

SWIVEL BEARINGS: Many construction styles include the following:

Single Level Ball Race – A single row of balls in a large diameter ball raceway.

Double Ball Race – Two separate rows of balls moving independently through two levels of ball races.


SWIVEL YOKE: A swivel yoke attaches to a cart, includes a swivel bearing unit. It does not include wheel, wheel bearings, washers, axles, nuts, or spanner bushing components. Typically used in conjunction with a roller bearing or in a plain bore assembly. Also called horns, rigs, and swivels.

RIGID YOKE: A rigid yoke attaches to a cart, includes a rigid or stationary horn unit. It does not consist of the wheel bearings, washers, axles, nuts, or spanner bushing components. Also called, horns, rigs, or rigids.

COMPLETE WHEEL: A wheel that has bearings installed.

BLANK WHEEL: A wheel without bearings installed (plain bore).

BRAKE KIT: There are various type brakes used on casters. There is the tread type brake that locks the wheel, total lock brakes that lock the swivel and the wheel at the same time, there are position and directional locks for locking casters in a specific direction while in use.



AXLE & NUT: A reusable fastening system to assemble casters. Preferred in applications where the wheel could use replacement or maintenance.

RIVET: A permanent steel rod to assemble casters. Preferred in economic applications where wheels typically will not get replaced.



	PAGE
ABOUT P&H CASTERS	2
OUR MISSIONS	3
SELECTION GUIDE	4
CASTER PARTS AND NOMENCLATURE	5
CASTERS	9
CASTERS CODEX	10-11
MOUNT ATTACHMENTS	12-13
10/12 LIGHT DUTY CASTERS (ZINC PLATED)	14
TWIN CASTERS(PLASTIC)	14
LIGHT/MEDIUM DUTY CASTERS (CHROME, STAINLESS STEEL AND STAINLESS STEEL HIGH TEMP)	15-16
LIGHT/MEDIUM DUTY CASTERS (ZINC PLATED)	16-24
LIGHT/MEDIUM (HIGH TEMP)	24-25
25 LIGHT/MEDIUM DUTY PRECISION CASTERS (PLASTIC AND ZINC PLATED)	26
CONTACT US	27
26/27 INDUSTRIAL MEDIUM DUTY (ZINC PLATED)	28
30 RETAIL AND SHOPPING CART (ZINC PLATED)	29
31/33/34/35 SPECIALTY SHOPPING CART (RAW STEEL AND ZINC PLATED)	31-32
40/42 MEDIUM HEAVY DUTY (ZINC PLATED)	33-38



WHEELS

39

WHEELS CODEX	40 - 41
POLYOLEFIN	42
RUBBER	43
TPR	44
PHENOLIC	45
SEMI PNEUMATIC	46
PNEUMATIC	47

POLYURETHANE WHEELS

A75 TPU ROUND TREAD	48
A80 TPU FLAT TREAD	49
A98 TPU CROWN TREAD	50 - 51
A9B TPU FLAT TREAD	52
A98 TPU ROUND TREAD	53
DIECAST PU ON STEEL HUB	53
DIECAST PU ON PP HUB	54
SOLID URETHANE	54

CasterDepot®



ACCESSORIES AND COMPONENTS	55
AXLES	56
KITS	57
NUTS	58
CART COMPONENTS	59
GUARDS	60 [®]
BEARINGS & WHEEL COMPONENTS	61

TABLE OF CONTENTS

2014

casterdepot.com

PRODUCT CATALOG | SELECTION GUIDE

KEEPING
THE WORLD
ROLLING
FOR OVER 45 YEARS



CasterDepot®

CASTERS



CASTERS CODEX


casterdepot.com

Example Code: Z20P154CLDE--*see first row

Z		20		P1	5		4		C	
YOKE MATERIAL		SERIES		MOUNT ATTACHMENT	WHEEL DIAMETER		WHEEL T.W.		WHEEL MATERIAL	
Z	ZINC PLATED STEEL WITH LACQUER DIP	10	LIGHT DUTY	** See Next Page	0	10"	1	1"	A	PO CROWN
E	RAW STEEL (RUST PRE-VENTION COATING)	11	TWIN WHEEL		1	12"	2	2"	B	TPU A98 ROUND ON PP
P	PLASTIC	12	LIGHT DUTY RIGID		2	2"	3	1.50"	C	TPU A98 CROWN ON PP
T	STAINLESS STEEL	20	LIGHT/MEDIUM		3	3"	4	1.25"	D	FOAM FILLED
C	CHROME	22	LIGHT/MEDIUM RIGID		4	4"	5	2.50"	E	SOLID URETHANE
A	POWDER COAT	25	LIGHT/MEDIUM DUTY PREC BEARING SWIVEL		5	5"	6	3"	F	TPR A90 FLAT ON PP
B	BLACK ANODIZED	26	INDUSTRIAL SWIVEL		6	6"	7	3/4"	G	TPU A75 ROUND ON PP
X	PREMIUM ZINC NON HEAT TREATED	27	INDUSTRIAL RIGID		7	3.50"	9	1 3/4"	H	FLAT HIGH TEMP
D	BRASS	30	SHOPPING CART/RETAIL SWIVEL		8	8"	A	24MM	I	SOFT RESISTANT RUBBER
N	ZINC PLATED NON HEAT TREATED	31	SHOPPING CART RIGID		9	2.5"	B	32MM	J	HARD RUBBER
		33	TRAVELATOR	T	8" Y WITH 6" W	C	30MM	K	TPE A98 FLAT ON PP	
		34	TRAVELATOR PRECISION	X	5" Y WITH 4" W	D	41MM	L	FLAT PHENOLIC	
		35	SHOPPING CART PRECISION SWIVEL	Y	4" Y WITH 5" W	E	45 MM	M	RUBBER FLAT ON STEEL	
		36	SHOPPING CART WELDED PRECISION SWIVEL	Z	6" Y WITH 8" W			N	TPR A70 CROWN ON PP	
		37	EZ STOP	A	50MM			O	PO FLAT	
		40	MEDIUM/HEAVY	B	75MM			P	PNEUMATIC	
		41	MHD - SWIVEL WITH POSITION LOCK	C	100MM			Q	TPU A80 FLAT ON PP	
		42	MEDIUM/HEAVY RIGID	D	125MM			R	TPR ROUND ON PP	
		50	HEAVY DUTY	E	120MM			S	SEMI PNEUMATIC	
		52	HEAVY DUTY RIGID					T	CROWN NR ON PP	
								U	TPU A98 FLAT ON PP	
								V	RECYCLABLE A98 TREAD	
								W	BLOW MOLDED	
								X	SOLID STEEL	
								Y	DIE CAST TPU TREAD ON PP	
								Z	DIE CAST TPU ON STEEL HUB	
								1	HIGH TEMP EPOXY RESIN	
								2	SOFT SILICONE ON ALUMINUM	
								3	NYLON FLAT	
								4	A85 TPE FLAT ON PP	
								5	TPU D60 FLAT ON PP	
								6	TPE A85 CROWN ON PP	
								7	TPE A80 CROWN ON PP	
								8	TPU A90 ROUND ON PP	
								9	TPU D64 FLAT ON PP	
								0	PP D70-D72	

L		D		E		*		**	
COLOR		BEARING		ASSEMBLY		OPTION		OPTION	
A	LIGHT GRAY	A	1/4 PLAIN	A	1/4" RIVET	0	LEFT	1	BLACK BUMPER
B	BLACK	B	1/4 BALL	B	1/4" A/N	1	RIGHT	2	GRAY BUMPER
D	GRAY ON BLUE	C	5/16 PLAIN	C	5/16" RIVET	2	TWIN WHEEL	3	RED BUMPER
E	GRAY ON BLACK	D	5/16 DUAL PRECISION	D	5/16" A/N	3	TRIPLE BLADE TRAVELATOR WHEEL	4	BLUE BUMPER
F	BLACK ON TAN	E	5/16 PLASTEEL	E	5/16" A/NY			B	FRONT WHEEL
G	GRAY ON GRAY	F	5/16 QUAD X FRICTION	F	5/16" A/NSS	5	DOUBLE UNITIZED DISC	L	TOTAL LOCK
H	BLACK ON CHROME	G	5/16 QUAD X	G	3/8" RIVET	6	DUAL INDEPENDENT	W	4.8 MM DISC
I	BLACK ON WHITE	H	3/8 PLAIN	H	3/8" A/N	7	DUAL INDEPENDENT WITH NUCLEUS LOCK	Z	4.8 MM DISC AND RED BUMPER
J	BLUE ON GRAY	I	3/8 PLASTEEL	I	3/8" A/NY	8	DUAL INDEPENDENT WITH SQUARE TOP LOCK	A	4.8 MM DISC AND BLACK BUMPER
L	BLUE ON TAN	J	3/8 SINGLE PRECISION	J	3/8" A/NSS	9	DUAL INDEPENDENT WITH FLAT TOP LOCK	T	TOP BRAKE
M	GRAY ON CHROME	K	3/8 DUAL PRECISION	K	1/2" A/N	A	STAINLESS BALL BEARINGS	5	RIGHT
N	GREEN	L	3/8 QUAD X	L	1/2" A/NY	B	SIDE BRAKE	6	LEFT
O	ORANGE ON TAN	M	1/2 PLAIN	M	1/2" A/NSS	C	CAM BRAKE	7	SMALL THREADGUARDS
P	RED ON SILVER	N	1/2 ROLLER	N	5/16 DACROMET	D	DISSIPATIVE	8	WANZL NAME
R	RED ON TAN	O	1/2 BALL BEARING	O	5/16" A/N ZERK	E	HEAVY DUTY	9	4.8 MM DISC AND BLUE BUMPER
S	BLACK ON BRASS	P	1/2 QUAD X	P	5/16" SS ZERK A/N	F	HIGH TEMP USAGE	G	4.8 MM DISC AND GREEN BUMPER
T	GRAY ON TAN	Q	5/8 DUAL PRECISION	Q	8MM CHROME A/NY	G	9 GA STEEL	C	GREEN BUMPER
U	BLUE	R	5/8 BALL	R	8MM SS A/N	H	11 GA STEEL	S	SIDE BRAKE
V	SILVER	S	3/4 DUAL PRECISION	S	3/8" A/N ZERK	I	ANTISTATIC CHAIN	D	DISSIPATIVE WITH BLACK BUMPER
W	WHITE	T	3/4 BALL BEARING	U	5/16" CHROME A/NY	J	BRAKE LEGS	E	RIGHT 4.8 MM DISC
X	GREEN ON SILVER	U	1/2 DUAL PRECISION	V	12MM CHROME A/NY	K	90 DEGREE MOUNT	F	LEFT 4.8 MM DISC
Y	BLACK ON GRAY	V	5/16 SINGLE PRECISION	W	8MM A/N	L	TOTAL LOCK BRAKE	H	RIGHT 4.8 MM DISC WITH GREEN BUMPER
K	GRAY ON GREEN	W	5/16 STAINLESS PLASTEEL	X	8 MM A/NY	M	BROWN SNOWGUARD	I	LEFT 4.8 MM DISC WITH GREEN BUMPER
Z	GRAY ON RED	X	5/8 PLAIN	Y	8MM A/A	N	CREAM SNOWGUARD	J	DISSIPATIVE WITH GREEN BUMPER
Q	BLUE ON BROWN	Y	3/4 PLAIN	Z	1/2" A/N ZERK	O	METAL THREADGUARDS	K	45 MM WIDTH
		Z	1 3/16 PLAIN			P	LARGE THREADGUARDS	M	DARK GREEN BUMPER
		1	7/16 PLAIN			Q	ROTATIONAL BUMPER	N	4.8 MM DISC AND DARK GREEN BUMPER
		2	12MM PRECISION			R	DIRECTIONAL LOCK	O	BLUE BUMPER PMS 288
		3	8MM PRECISION			T	TOP BRAKE	P	NON HEAT TREATED
		4	ADJ. FRICTION			U	180/360 BRAKE SYSTEM		
		5	1/2 ROLLER CAGED BEARING			V	SS THREADGUARDS		
		6	1/2 PLAIN, SS BUSHING & DELRIN			W	ADAPTER		
		7	5/16 DUAL STAINLESS STEEL PRECISION			X	BUMPER		
		8	NO BEARING			Z	GRAY THREADGUARDS		
		9	8MM PLAIN BORE			&	GRAY SNOWGUARDS		
		0	15 MM PRECISION						
		*	1/2" SS DUAL PRECISION BEARING						
		-	3/8 PLAIN STAINLESS						

MOUNT ATTACHMENTS



P3
4 X 4 1/2

IMPERIAL PLATES

- P1 2 3/8 X 3 5/8
- P2 3 1/8 X 4 1/8
- P3 4 X 4 1/2
- P4 2 POSITION PINS
- P5 3 1/8 X 4 1/8 E-W QUICK RELEASE
- P6 3 1/8 X 4 1/8 N-S QUICK RELEASE
- PZ SOLID PLATE



TB
1/2" X 13 X 3/4"

THREADED

- T1 3/8 X 16 X 1 1/2
- T2 1/2 X 13 X 1 3/4
- T3 1/2 X 13 X 1 1/2 KEYED
- T4 1/2 X 13 X 2 1/2 SHOULDER
- T5 1/2 X 13 X 1 BOLT UNDER RACEWAY
- T6 1/2 X 13 X 1 1/2
- T7 12MM X 22MM KEYED
- T8 1 X 5/16 - 18
- T9 1/2 X 13 X 1 7/8 KEYED
- T0 1/2" X 13 X 25 MM
- TA 7/6" X 14 X 2"
- TB 1/2" X 13 X 3/4"
- TC 7/16" X 14 X 5/8"



C1
1/2 X 13 X 7/8 KEYED

SHOPPING CART

- C1 1/2 X 13 X 7/8 KEYED



F2
7/16 X 1 3/4

FRICTION

- F1 7/16 X 1 1/8
- F2 7/16 X 1 3/4
- F3 1.00 ROUND
- F4 .845 SQUARE
- F5 7/16 X 1 3/8
- F6 7/16 X 1 17/32
- F7 .843 ROUND
- F8 5/16 X 1 1/2 GRIP NECK
- F9 .865 ROUND



X7
1.685"

EXPANDABLE

- X1 .716"
- X2 .846"
- X3 1.031
- X4 1.25
- X5 1.32
- X6 1.5
- X7 1.685
- X8 1.875

MOUNT ATTACHMENTS



S2
.845 WITH 5/16 HOLE

SQUARES

- S1 0.74
- S2 .845 WITH 5/16 HOLE
- S3 0.865
- S4 1
- S5 .845 WITH 1/2 HOLE
- S6 0.5 SQUARE



R2
1"

ROUND

- R1 0.81
- R2 1"
- R3 0.843
- R4 1/2 ROUND STEM 4.5" TALL WITH GROOVE
- R5 843 WITH SHOULDER
- R6 0.712
- R7 0.48" ROUND
- R8 0.81" WITH 5/16" HOLE
- R9 0.75" WITH 2 19/64" HOLES



O2
1/2" OPEN HOLE

OPEN HOLE


- O1 12MM OPEN HOLE
- O2 1/2" OPEN HOLE
- O3 5/16 OPEN HOLE



X 55 MM WITH
NYLOCK PATCH

OPEN HOLE WITH BOLT

- A1 M12 X 40MM WITH NYLOCK PATCH
- A2 M12 X 60MM WITH NYLOCK PATCH
- A3 M12 X 35MM WITH NYLOCK PATCH
- A4 1/2 X 13 X 1 1/2 WITH NYLOCK NUT
- A5 M10 WITH EXPANDABLE
- A6 M12 X 45 MM WITH NYLOCK PATCH
- A7 M12 X 50 MM
- A8 M12 X 40 MM
- A9 M12 X 60 MM
- A0 M12 X 45 MM
- AA M12 X 35 MM WITH NYLOCK NUT
- AB M12 X 55 MM WITH NYLOCK PATCH
- AC M12 X 50 MM WITH NYLOCK PATCH
- AD CADDIE PINTLE



B4
957 TRAVELATOR

31 SERIES STYLES

- B1 233 REHRIG
- B2 936 UNARCO
- B3 845 TOTE
- B4 957 TRAVELATOR
- B5 TECHNIBILT
- B6 845 PLASTICART (centered axle hole)
- B7 845 TOTE WITH 1" HOLE
- B8 845 UNARCO
- B9 233 REHRIG WITH 1" HOLE
- BA PRODUCE TABLE

10/12 LIGHT DUTY

Our Light Duty caster line is ideal for load capacities under 200 lbs. Typically these casters are smaller in diameter and used for minimal movement applications

Display Racks • Minimal Movement Applications



Z10T431ABCD

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z10R421JBCC	2"	2.69"	HARD RUBBER	2.13"	1"	50 LBS	5/16" R	BLACK	CASTER ONLY
Z10O334GBDE	3"	3.25"	TPU A75 ROUND ON PP	2.19"	1.25"	110 LBS	5/16" A/NY	BLACK	YZ10O3342
Z10F131ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10F1312
Z10F131ABCDB	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10F1312C
Z10T131ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T8312
Z10T431ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T4312
Z10T431ABCDB	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T4312C

11 TWIN CASTER

Twin casters are primarily used in furniture and light weight applications. Our models support a range of light weight products up to demanding bulk good loads.

Display Racks • Furniture • Decorative Carts • Small Appliances



P11F82TTBAT

P11F82TTBAT	2"	1 5/16"	CROWN NR ON PP	1.44"	3/8"	-	-	BLACK	CASTER ONLY
-------------	----	---------	----------------	-------	------	---	---	-------	-------------

20/22 LIGHT/MEDIUM DUTY

Light/Medium duty casters support individual weight capacities of 150 lbs. to 400 lbs. They function well in day to day use and general purpose applications. We offer them in a wide variety of options including different mounting types, wheel materials, and wheel diameters

Food Service • Material Handling • General Purpose • Transport Dollies



T20S354CLWF

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

CHROME CASTERS

C200154CLGPL	5"	6.38"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/N CHROME	BLUE ON TAN	YC2001542L
C20P154QGDP	5"	6.32"	TPU A80 TPU ON PP	4"	1.25"	250 LBS	5/16" A/N CHROME	GRAY ON GRAY	YC20P1542
C20P154QGDU2	5"	6.32"	TPU A80 TPU ON PP	4"	1.25"	250 LBS	5/16" CHROME A/NY	GRAY ON GRAY	YC20P1542
C20P164QGDP	6"	6.38"	TPU A80 TPU ON PP	4.5"	1.25"	250 LBS	5/16" A/N CHROME	GRAY ON GRAY	YC20P1642
C20P164QGDU2	6"	6.38"	TPU A80 FLAT ON PP	4.5"	1.25"	250 LBS	5/16" CHROME A/NY	GRAY ON GRAY	YC20P1642
T20T444CT-JL	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	3/8" A/NSS	GRAY ON TAN	YT20T4443L
T22P144CTHJ	4"	5"	TPU CROWN A98 ON PP	-	1.25"	200 LBS	3/8" SS	GRAY ON TAN®	YT20P1443
T20S154CLWE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542
T20S354CLWF	5"	6"	TPU A98 CROWN ON PP	4"	-	250 LBS	5/16" A/NSS	BLUE ON TAN	YT20S3542

STAINLESS STEEL HIGH TEMP CASTERS

T20P244HBCF	4"	5"	FLAT HIGH TEMP	3 5/8"	1.50"	400 LBS	5/16" A/NSS	BLACK	YT20P2442
T20P244HBCP	4"	5"	FLAT HIGH TEMP	3 5/8"	1.50"	400 LBS	5/16" A/NSS ZERK	BLACK	YT20P2442



T20P244HNHF

20/22 LIGHT/MEDIUM DUTY, CONTINUED

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
T20P244HNDF	4"	5"	FLAT HIGH TEMP	3.63"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P2442
T20P244HNHF	4"	5"	FLAT HIGH TEMP	3.63"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P2442
T20P344HNDF	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P3442F
T20S3X4HNDF	5"	5.50	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20S3542
ZINC PLATED CASTERS									
Z20P199ABHI	2.50"	3.50"	PO CROWN	2.75"	1.25"	200 LBS	3/8" A/NY	BLACK	CASTER ONLY
Z20P134ABCE	3"	4"	CROWN PO	3"	1.25"	150 LBS	5/16" A/NY	BLACK	YZ20P1342
Z22P134ABCE	3"	4"	CROWN PO	-	1.25"	150 LBS	5/16" A/NY	BLACK	YZ22P1342
Z20P134ABCEB	3"	4"	CROWN PO	3"	1.25"	150 LBS	5/16" A/NY	BLACK	YZ20P1342
Z20P134CLDE	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1342
Z20P134CLDEB	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1342
Z20P134RGHH	3"	4"	TPR ROUND ON PP	3"	1.25"	150 LBS	3/8" A/N	GRAY ON GRAY	CASTER ONLY
Z20P134RGHHB	3"	4"	TPR ROUND ON PP	3"	1.25"	150 LBS	3/8" A/N	GRAY ON GRAY	CASTER ONLY
Z20P234CLGE	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	125 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2342
Z20P234CLGEB	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	125 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2342
Z20P234JBHH	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20P234JBHHB	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY



Z20P244CLGE



Z20S444CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20P234JBHH	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20P234JBHHB	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20C1X4CLGE	4"	5.50	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z20P144CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P1442
Z22P144CGDE	4"	5"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ22P1442
Z20P144CGDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P1442
Z20P144CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z22P144CLCE	4"	5"	TPU CROWN A98 ON PP	-	1.25"	200 LBS	3/8" A/NY	BLUE ON TAN	YZ22P1442
Z20P144CLDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z20P144CLDET	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z20P144CTCET	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1442
Z22P144CTCE	4"	5"	TPU CROWN A98 ON PP	-	1.25"	200 LBS	3/8" A/NY	GRAY ON GRAY	YZ22P1442
Z20P244CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P2442
Z20P244CGDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P2442
Z20P244CLGE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2442
Z22P244CLGE	4"	5"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2442
Z20P244CLGEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2442
Z20S444CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20S4542
Z20T544NGHI	4"	5"	TPE A70 CROWN ON PP	3.50"	1.25"	150 LBS	3/8" A/NY	GRAY ON GRAY	YZ30T5443

20/22 LIGHT/MEDIUM DUTY, CONTINUED



Z20P154CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20T647UBCC	4"		FLAT TPU A98 ON PP	2 5/16"	3/4"	100 LBS	5/16" R	BLACK	CASTER ONLY
Z20A854CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ30C1542
Z20F254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F2542
Z20F254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F2542
Z20F254NEGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20F2542
Z20F254NYCE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F254NYCEB	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F254NYCET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F354ABCE	5"	6"	CROWN PO	4"	1.25"	225 LBS	5/16" A/NY	BLACK	YZ20F3542
Z20F354ABCEB	5"	6"	CROWN PO	4"	1.25"	225 LBS	5/16" A/NY	BLACK	YZ20F3542
Z20F354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F3542
Z20F454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F4542
Z20F454NEDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20F4542
Z20F754CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	Y-887.843
Z20F754CGGEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	Y-887.843
Z20P154CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P1542
Z22P154CBCE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLACK	YZ22P1542
Z20P154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542



Z20P254CLDEB



Z20P154CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20P154CBCET	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542
Z20P154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CBCEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P1542
Z22P154CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P1542
Z20P154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CLDO	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/N ZERK	BLUE ON TAN	YZ20P1542
Z20P154CLGED	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z20P154CLGEDT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CLWE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P154NECE	5"	6.25"	TPR A70 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON BLACK	YZ26P1542
Z20P154NECEB	5"	6.25"	TPR A70 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON BLACK	YZ26P1542
Z20P154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P1542
Z20P154NTGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P154QTDE	5"	6"	TPU A80 TPU ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P254CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P2542
Z22P254CBCE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLACK	YZ22P2542
Z20P254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542

20/22 LIGHT/MEDIUM DUTY, CONT.



Z20S154CLDET

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z22P254CLDET	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542
Z22P254CLDEK	5"	6"	CROWN TPR A98 ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542K
Z20P254CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254CLEET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P2542
Z22P254NEGE	5"	6"	TPR A70 CROWN ON PP	-	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ22P2542
Z20P254NEGEB	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P2542
Z20P354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P354CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z22P354CGDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ22P3542
Z20P254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z22P254CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542
Z20R154CLDC	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" RIVET	BLUE ON TAN	YZ20R1542
Z20R154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20R1542
Z20R454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20R4542
Z20S154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YT20S1542
Z20S154CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542
Z20S154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542
Z20S154CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542



Z20T254CLDE



Z20S554CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20S154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20S1542
Z20S154NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20S1542
Z20S254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CTDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254CTDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254NTGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254NTGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLEET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YT20S3542
Z20S354CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLGET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S3X31NDD	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20S3542
Z20S554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S5542
Z20T254CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20T2542
Z20T254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z22T254CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22T2542

20/22 LIGHT/MEDIUM DUTY, CONT.



Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z20T254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z20T254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z20T454CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20T4542
Z20T454CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X254CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20T4542
Z20X254CGGEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254CLDEQ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254GGDE	5"	6"	TPU A75 ROUND ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254GGDET	5"	6"	TPU A75 ROUND ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X2542
Z20X354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X354CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542



Z20X354CLDE



Z20X654CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20X354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X354NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X354NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X454CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X454CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X554CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X654CGDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654CGDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X754CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X7542
Z20X754CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X7542
Z20X854CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X854CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542

20/22 LIGHT/MEDIUM DUTY, CONTINUED



Z20P244HNHDB

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC HIGH TEMP CASTERS

Z20P149LNDD	4"	5"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P1442F
Z20P244HBCD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P2442F
Z20P244HNCO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N ZERK	GREEN	YZ20P2442F
Z20P244HNDD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2442F
Z22P244HNDD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ22P2442
Z20P244HNDO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N ZERK	GREEN	YZ20P2442F
Z20P244HNHDB	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2442F
Z20P244HNMD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	GREEN	YZ20P2442F
Z20P344HBCD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P3442F
Z20P344HNMD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	GREEN	YZ20P3442F
Z20P349LNDD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P3542F
Z20P544HBCD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P5442F
Z20P544HNCO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N ZERK	GREEN	YZ20P5442F
Z20P544HNDD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P5442F
Z20P544HNDO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N ZERK	GREEN	YZ20P5442F
Z20P544HNHD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P5442F
Z20S2X3HNDE	4"	5.44"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NY	GREEN	YZ20S2542
Z20S3X4CLDE	4"	5.50	HIGH TEMP EPOXY RESIN	3.50"	1.50"	500 LBS	5/16" A/NY	GREEN	YZ20S3542



Z20P544HNDD



Z20P244HBCD

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Onl Part #
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X654NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X654CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X654CLDEQ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X654CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542

CasterDepot®

25 LIGHT/MEDIUM DUTY PRECISION

P&H's Precision Raceway line of casters includes a limited scope of medium duty casters that utilize a precision bearing raceway in the swivel. These very specialized casters are guaranteed to increase performance and reduce noise in any application.

Hospital Applications • Specialty Consumer Carts • Luxury Performance



P25P154GGDN

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

PLASTIC CASTERS

P25C154CGGN	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25C2542
P25F254CGDN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542
P25F254CGDNT	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25F354CGDNT	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25F754CGCN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25R3542
P25F754CGCN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25R3542
P25S254CGDNT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25S2542T
P25O254CGDN	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542

25 LIGHT/MEDIUM DUTY PRECISION, CONTINUED



Z25P244CGDE



P25F354CGDNT

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
P25O254CGDNT	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542T
P25P154GGDN	5"	6.38"	TPU A75 ROUND ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542
P25P154GGDNT	5"	6.38"	TPU A75 ROUND ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542T
P25S554UGCF	5"	6.50	TPU A98 FLAT ON PP	4	1.25"	200 LBS	5/16" A/NSS	GRAY ON GRAY	YP25S5542A
P25X254CGCNT	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25S254CGDN	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25S2542

ZINC PLATED CASTERS

Z25P244CGDE	4"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ25P2442
-------------	----	----	---------------------	----	-------	---------	------------	--------------	-----------

CasterDepot®

26/27 INDUSTRIAL/MEDIUM DUTY

Our Industrial/Medium Duty casters support individual weight capacities of 150 lbs to 400 lbs. This series is constructed with a higher mount height than the 20/22 series, meeting more specific replacement and existing industry application requirements.

Food Service • Material Handling • General Purpose • Transport Dollies
• Institutional



Z26P154CLDEB

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z26P154CLDE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z27P154CLDE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ27P1542
Z26P154CLDEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CBCE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542
Z27P154NECE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ27P1542
Z26P154CLGE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z27P154CLGE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ27P1542
Z26P154CLGEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CLGET	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CBCEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542

30 RETAIL AND SHOPPING CART

P&H is a global leader in retail products. Our specialty has been in shopping cart products since the 1980's. The following pages detail a wide variety of options for nearly any retail application imaginable.

Shopping Carts • Retail Carts • Child Carts • Shop-a-longs •
Deli and Bakery Racks



Z30C144CLGE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z30C144CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1442
Z30C144CGDE	4"	5.5"	TPU A98 CROWN ON PP	3.50"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1542
Z30C144CLGE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1442
Z30P144CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z30P242HNDD	4"	5.5"	HIGH TEMP EPOXY RESIN	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2542
Z30T544CTKIB	4"	5"	TPU CROWN A98	3.50"	1.25"	200 LBS	3/8" A/N	GRAY ON TAN	YZ30T5443
Z30T544UTHH	4"	5"	TPU CROWN A98	3.50"	1.25"	200 LBS	3/8" A/N	GRAY ON TAN	YZ30T5443
Z30A454CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20O2542
Z30C154CEDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C1542
Z30C154CGDE	5"	6"	CROWN TPU A95 ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ30C1542
Z30C154CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1542
Z30C154CL4E	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDEI	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154UL4E	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542

30 MEDIUM DUTY, CONTINUED



Z30C154CBCE

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z30A254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30O1542
Z30A754CGDEY	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30O1542Y
Z30A754CGDEYT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30O1542Y
Z30C154CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ30C1542
Z30C154CLDEM	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDEP	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLGED	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLGEZ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C1542
Z30C154QGGE	5"	6"	TPU A80 TPU ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1542
Z30C154ULFE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN®	YZ30C1542
Z30C154VEDE	5"	6"	RECYCLABLE A98 TREAD	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C1542
Z30P254CLDEDT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z30P254NEDEN	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P2542
Z30T354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30T3542
Z30T354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30T3542
Z30T954CBCEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20T2542
Z30T954NEDE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20T2542

31/33/34/35 SPECIALTY SHOPPING CART

With P&H's global presence comes the need to supply products for various retail environments. Our specialty range answers many of the challenges faced by retailers in today's marketplace.

Travelators • Escalators • Cart Retention •
Rear Rigs • Premium Performance



Z31B654CLGE

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	-------------	---------------	---------------	------	-------	------------------

RAW STEEL CASTERS

E31A2545G3X0	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
E31A6545G3X0	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
E31A2545G3X1	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98M
E31A6545B3X1	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	BLACK	YZ3301D98M

ZINC PLATED CASTERS

Z31P144CTKI	4"	3.75"	TPU A98 CROWN	-	1.25"	150 LBS	3/8" A/N	GRAY ON TAN	CASTER ONLY
Z31B654CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ31B6542
Z31B654CLFE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLFE0	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLFE1	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLGE0	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLGE1	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542

TRAVELATOR CASTERS

Z33A2D95G3X9	125MM	6"	TPU D60 FLAT ON PP	4"	1.75	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98
Z33A2D95G3X95	125MM	6"	TPU D60 FLAT ON PP	4"	1.75"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
Z33A2D95G3X96	125MM	6"	TPU D60 FLAT ON PP	4"	1.75"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98M

31/33/34/35 SPECIALTY SHOPPING CART, CONTINUED



Z34A254UDE9

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z33C1DD5G3X	125MM	6"	FLAT TPU D60 ON PP	4"	41 mm	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ33C1542J
Z33A152CT0X0	5"	6"	FLAT TPU A 98 ON PP	4.19"	1.25"	250 LBS	8MM A/NY	GRAY ON GRAY	YZ33O1528
Z33A152CT0X1	5"	6"	TPU A98 CROWN ON PP	4.19"	1.25"	250 LBS	8MM A/NY	GRAY ON GRAY	YZ33O1528
Z33A354CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542
Z33A354CGDE0	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542Q
Z33A354CGDE1	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542M

TRAVELATOR PRECISION CASTERS

Z34A0D95G3X7	125MM	6.13"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A1D95G3X7	125MM	6"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A1DC5G3X9	125MM	6"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ34O1D38
Z34A1ED5G3Y0	120MM	6"	TPU D60 FLAT ON PP	3.81"	1 13/16"	150 LBS	8MM A/A	GRAY ON GRAY	YZ34O1D39
Z34A1ED5G3Y1	120MM	6"	TPU D60 FLAT ON PP	3.81"	1.25"	150 LBS	8MM A/A	GRAY ON GRAY	YZ34O1D39
Z34A2D95G3X7	125MM	6"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A2D95G3X7	125MM	6.13"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A6D95G3X6	125MM	6.19"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ34O1D39
Z34A254UDE9	125MM	6.13"	TPU D60 FLAT ON PP	3.50	32MM	150 LBS	8 MM A/NY	GRAY ON GRAY	X35A3DB8

TRAVELATOR CART PRECISION CASTERS

Z35A354IG3X	5"	6"	SOFT RUBBER	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z35A554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YX35C1542
Z35T554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YX35C1542

40/42 MEDIUM/HEAVY DUTY

P&H has developed a broad line of casters to make light work of heavy loads. Our products are designed to handle loads up to 1500 lbs with ergonomics and maneuverability in mind to make any cart situation manageable for a broad spectrum of users.

Lumber Carts • Bulk Goods Carts • Distribution Carts •
Material Handling • Processing Equipment



Z40P342CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P342CLPL	4"	5.63"	TPU A98 CROWN ON PP	3.25"	2"	600 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z40P342CLPLB	4"	5.63"	TPU A98 CROWN ON PP	3.25"	2"	600 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z40P342LB5L	4"	5.63"	FLAT PHENOLIC	3.25"	2"	600 lbs	1/2" A/NY	BLACK	CASTER ONLY
Z42P342LB5L	4"	5.63"	FLAT PHENOLIC	-	2"	400 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342LBNL	4"	5.63"	FLAT PHENOLIC	3.25"	2"	400 LBS	1/2" A/NY	BLACK	YZ40P3424
Z42P342LBNL	4"	5.63"	FLAT PHENOLIC	-	2"	400 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342LBNLB	4"	5.63"	FLAT PHENOLIC	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342MBNL	4"	5.63"	FLAT RUBBER ON STEEL	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P342MBNL	4"	5.63"	FLAT RUBBER ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342MBNLB	4"	5.63"	FLAT RUBBER ON STEEL	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342NGPL	4"	5.63"	TPR A70 CROWN ON PP	3.25"	2"	500 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3424
Z42P342NGPL	4"	5.63"	TPR A70 CROWN ON PP	-	2"	500 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3424
Z40P342OBNL	4"	5.63"	FLAT PO	3.25"	2"	500 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P342OBNL	4"	5.63"	FLAT PO	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342OBNLB	4"	5.63"	FLAT PO	3.25"	2"	500 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342ZPUL	4"	5.63"	DIE CAST TPU ON STEEL HUB	3.25"	2"	600 LBS	1/2" A/NY	RED ON SILVER	CASTER ONLY
Z42P342ZPUL	4"	5.63"	DIE CAST TPU ON STEEL HUB	-	2"	600 LBS	1/2" A/NY	RED ON SILVER	YZ42P3424
Z40P342ZPULB	4"	5.63"	DIE CAST TPU ON STEEL HUB	3.25"	2"	600 LBS	1/2" A/NY	RED ON SILVER	CASTER ONLY

40/42 MEDIUM HEAVY DUTY, CONTINUED



Z40P352MBNK

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P352CLPLB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524
Z40P352COPL	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3524
Z42P352COPL	5"	6.50"	TPU A98 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	TAN	YZ42P3524
Z40P352COPLB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3524
Z40P352LBZK	5"	6.50"	FLAT PHENOLIC	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z42P352LBZL	5"	6.50"	FLAT PHENOLIC	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3524
Z40P352LBZKB	5"	6.50"	FLAT PHENOLIC	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z40P352MBNK	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z42P352MBNL	5"	6.50"	FLAT RUBBER ON STEEL	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3524
	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	800 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3524
Z42P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	700 LBS	1/2" A/NY	LIGHT GRAY	YZ42P3524
Z40P352NGPLB	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3524
Z40P352OBNL	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z42P352OBNL	5"	6.50"	FLAT PO	-	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P352OBNLB	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352QTPL	5"	6.50"	TPU A80 TPU ON PP	3.88"	2"	375 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3524
Z40P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY



Z42P352ZPUL



Z42P352MBNL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P352MBNL	5"	6.50"	FLAT RUBBER ON STEEL	-	2"	500 LBS	1/2" A/ NY	BLACK	YZ42P3524
Z40P352MBNKB	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	800 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3524
Z42P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	700 LBS	1/2" A/ NY	LIGHT GRAY	YZ42P3524
Z40P352NGPLB	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3524
Z40P352OBNL	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z42P352OBNL	5"	6.50"	FLAT PO	-	2"	600 LBS	1/2" A/ NY	BLACK	CASTER ONLY
Z40P352OBNLB	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352QTPL	5"	6.50"	TPU A80 TPU ON PP	3.88"	2"	375 LBS	1/2" A/ NY	GRAY ON TAN	YZ40P3524
Z40P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY
Z42P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	-	2"	800 LBS	1/2" A/ NY	RED ON SILVER	YZ42P3524
Z40P352ZPULB	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY
Z40P3Y2CLPL	5"	6.13"	TPU A98 CROWN ON PP	3.75"	2"	800 LBS	1/2" A/ NY	BLUE ON TAN	YZ40P3424
Z42P3Y2NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	800 LBS	1/2" A/ NY	GRAY ON GRAY	YZ42P3424
Z40P3Y2NGPL	5"	6.13"	TPR A70 CROWN ON PP	3.75"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3424
T40P352CL6L	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/ NY	BLUE ON TAN	YZ40P3524A

40/42 MEDIUM/HEAVY DUTY, CONTINUED



Z40P362CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P3Y2CLPL	5"	6.13"	TPU A98 CROWN ON PP	3.75"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z42P3Y2NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	GRAY ON GRAY	YZ42P3424
Z40P3Y2NGPL	5"	6.13"	TPR A70 CROWN ON PP	3.75"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3424
T40P352CL6L	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
T40P352CL6LB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
Z42P154BHQH	5"	6.50"	ROUND TPU A98 ON PP	-	1.50"	300 LBS	3/8" A/N	BLACK ON CHROME	YZ22P1442E
Z40P352CLPK	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/N ZERK	BLUE ON TAN	YZ40P3524
Z40P352CLPL	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524
Z42P352CLPL	5"	6.50"	TPU A98 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3524
Z40P352CLPLA	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
Z40P352CLPLA	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
T40P362CL6M	6"	7.50"	TPU A98 CROWN ON PP	4.63"	2"	1000 LBS	1/2" A/NSS	BLUE ON TAN	YT40P3624
Z40P362LBZK	6"	7.50"	FLAT PHENOLIC	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362CLPL	6"	7.50"	TPU A98 CROWN ON PP	4.63"	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3624
Z42P362CLPLB	6"	7.50"	TPU A98 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z40P362GTPL	6"	7.50"	TPU A75 ROUND ON PP	4.63"	2"	800 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z40P362GTPLB	6"	7.50"	TPU A75 ROUND ON PP	4.63"	2"	800 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624



Z42P362OBNL



Z40P362LBZKB

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P362LBZL	6"	7.50"	FLAT PHENOLIC	-	2"	800 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362LBZKB	6"	7.50"	FLAT PHENOLIC	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362MBNK	6"	7.50"	FLAT RUBBER ON STEEL	4.63"	2"	600 LBS	1/2" A/N	BLACK	YZ40P3624
Z42P362MBNL	6"	7.50"	FLAT RUBBER ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362MBNLB	6"	7.50"	FLAT RUBBER ON STEEL	4.63"	2"	1000 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362NTPL	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z42P362NTPL	6"	7.50"	TPR A70 CROWN ON PP	-	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3624
Z40P362NTPLB	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z40P362NTPLO	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z42P362NTPLO	6"	7.50"	TPR A70 CROWN ON PP	-	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3624
Z40P362OBNK	6"	7.50"	FLAT PO	4.63"	2"	600 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362OBNLB	6"	7.50"	FLAT PO	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z42P362OBNL	6"	7.50"	FLAT PO	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362XBZLB	6"	7.50"	SOLID STEEL	4.63"	2"	1500 LBS	1/2" A/NY	BLACK	YZ40P3624
Z40P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	4.63"	2"	1000 LBS	1/2" A/N	RED ON SILVER	YZ40P3624
Z40P362ZPULB	6"	7.50"	DIE CAST TPU ON STEEL HUB	4.63"	2"	1000 LBS	1/2" A/N	RED ON SILVER	YZ40P3624
Z40P365SYOL	6"	7.50"	SEMI PNEUMATIC	4.63"	2.50"	800 LBS	1/2" A/NY	BLACK ON GRAY	YZ40P3624

40/42 MEDIUM/HEAVY DUTY, CONTINUED



0P382CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P362ULNLB	6"	7.50"	FLAT TPU A 98 ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z42P362ULNLB	6"	7.50"	FLAT TPU A 98 ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z40P382BOPLB	8"	9.50"	TPU A98 ROUND ON PP	6.13"	2"	1200 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3824
Z40P382CLPL	8"	9.50"	TPU A98 CROWN ON PP	6.13"	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3824
Z40P382CLPLB	8"	9.50"	TPU A98 CROWN ON PP	6.13"	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3824
Z40P382LBNL	8"	9.50"	FLAT PHENOLIC	6.13"	2"	800 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382LBNLB	8"	9.50"	FLAT PHENOLIC	6.13"	2"	800 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ40P3824
Z42P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3824
Z40P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z42P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3824



Z42P382YRPL



Z42P382NTPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke OnlyPart #
Z40P382NTPLB	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ40P3824
Z42P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3824
Z40P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z42P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3824
Z40P382NTPLB	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382OBNL	8"	9.50"	FLAT PO	-	2"	1000 LBS	1/2" A/NY	BLACK	YZ42P3824
Z40P382OBNLB	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382PBPLB	8"	9.50"	PNEUMATIC	6.13"	2"	450 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382YRPL	8"	9.50"	DIE CAST TPU ON TREAD ON	-	2"	1000 LBS	1/2" A/NY	RED ON TAN	YZ42P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382OBNLB	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382PBPLB	8"	9.50"	PNEUMATIC	6.13"	2"	450 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382YRPL	8"	9.50"	DIE CAST TPU ON TREAD ON	-	2"	1000 LBS	1/2" A/NY	RED ON TAN	YZ42P3824
Z40P382ZPUL	8"	9.50"	DIE CAST TPU ON STEEL HUB	6.13"	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ40P3824

40/42 MEDIUM/HEAVY DUTY, CONTINUED



Z42P3Z2CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Tread Width	Axle	Color	Yoke Only Part #
Z42P382ZPUL	8"	9.50"	DIE CAST TPU ON STEEL HUB	-	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ42P3824
Z40P382ZPULB	8"	9.50"	DIE CAST TPU ON STEEL HUB	6.13"	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ40P3824
Z42P382CLPL	8"	9.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3824
Z42P382COPL	8"	9.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	ORANGE ON TAN	YZ42P3824
Z42P382LBNL	8"	9.50"	FLAT PHENOLIC	-	2"	1200 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P382MBNL	8"	9.50"	FLAT RUBBER ON STEEL	-	2"	800 LBS	1/2" A/NY	BLACK	YZ42P3824
Z42P3T2MBNL	8" Y WITH 6"W	8.50"	RUBBER FLAT ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3824
Z42P3Z2CLPL	8"	8.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P3Z2MBNK	8"	8.50"	FLAT RUBBER ON STEEL	-	2"	800 LBS	1/2" A/N	BLACK	YZ42P3624

CasterDepot®



CasterDepot®

STEEL WHEELS



*W	C	20	5	4	L				
ITEM	MATERIAL		SERIES		DIAMETER		TREAD WIDTH		COLOR
A	PO CROWN	10	LIGHT DUTY	0	10"	1	1"	A	LIGHT GRAY
B	TPU A98 ROUND ON PP	20	LIGHT/MEDIUM	1	12"	2	2"	B	BLACK
C	TPU A98 CROWN ON PP	30	SHOPPING CART	2	2"	3	1.50"	C	SCI GRAY ON GRAY
D	FOAM FILLED	33	TRAVELATOR	3	3"	4	1.25"	E	GRAY ON BLACK
E	SOLID URETHANE	34	TRAVELATOR PRECISION	4	4"	5	2.50"	F	BLACK ON TAN
F	TPR A90 FLAT ON PP	40	MEDIUM/HEAVY	5	5"	6	3"	G	GRAY ON GRAY
G	TPU A75 ROUND ON PP	50	HEAVY DUTY	6	6"	7	3/4"	H	BLACK ON CHROME
H	FLAT HIGH TEMP			7	3.50"	9	1 3/4"	I	BLACK ON WHITE
I	SOFT RUBBER			8	8"	A	24MM	J	BLUE ON GRAY
J	HARD RUBBER			9	2.5"	B	32MM	L	BLUE ON TAN
K	TPE A98 FLAT ON PP			A	50MM	C	30MM	M	GRAY ON CHROME
L	FLAT PHENOLIC			B	75MM	D	1/2"	N	GREEN
M	RUBBER FLAT ON STEEL			C	100MM	E	45 MM	O	ORANGE ON TAN
N	TPR A70 CROWN ON PP			D	125MM			P	RED ON SILVER
O	PO FLAT							R	RED ON TAN
P	PNEUMATIC							S	BLACK ON BRASS
Q	TPU A80 FLAT ON PP							T	GRAY ON TAN
R	TPR ROUND ON PP							U	BLUE
S	SEMI PNEUMATIC							V	SILVER
T	CROWN NR ON PP							W	WHITE
U	TPU A98 FLAT ON PP							Y	BLACK ON GRAY
V	RECYCLABLE A98 TREAD							X	GREEN ON SILVER
W	BLOW MOLDED							Z	ORANGE ON GRAY
X	SOLID STEEL							0	GRAY ON BLUE
Y	DIE CAST TPU TREAD ON PP							1	BLUE ON BROWN
Z	DIE CAST TPU ON STEEL HUB								
1	HIGH TEMP EPOXY RESIN								
2	SOFT SILICONE ON ALUMINUM								
3	NYLON FLAT								
4	A85 TPE FLAT ON PP								
5	TPU D60 FLAT ON PP								
6	TPE A85 CROWN ON PP								
7	TPE A80 CROWN ON PP								
8	TPU A90 ROUND ON PP								
9	TPU D64 FLAT ON PP								
0	PP D70-D72								

D

	BEARING		OPTION		ADDITIONAL OPTIONS
A	1/4 PLAIN	0	FRICTION	B	22 MM GAP
B	1/4 BALL	1	SINGLE BLADE TRAVELATOR WHEEL	M	21.3 MM GAP
C	5/16 PLAIN	3	TRIPLE BLADE UNITIZED TRAVELATOR	N	NO T.G.
D	5/16 DUAL PRECISION	5	DOUBLE UNITIZED DISC	T	T.G.
E	5/16 PLASTEEL	6	DUAL INDEPENDENT	U	17.3 MM GAP
F	5/16 QUAD X FRICTION	7	DUAL INDEPENDENT WITH NUCLEUS LOCK	W	4.8 MM DISC
G	5/16 QUAD X	8	DUAL INDEPENDENT WITH SQUARE TOP LOCK	X	4 MM DISC
H	3/8 PLAIN	9	DUAL INDEPENDENT WITH FLAT TOP LOCK	A	45 MM WIDTH
I	3/8 PLASTEEL	A	STAINLESS BEARINGS		
J	3/8 SINGLE PRECISION	B	5/16" SS 304 TOP HAT BUSHINGS		
K	3/8 DUAL PRECISION	C	CENTERED HUB		
L	3/8 QUAD X	D	DISSIPATIVE		
M	1/2 PLAIN	E	ELONGATED INNER RACEWAY SHAFTS		
N	1/2 ROLLER	F	FULL T.G.		
O	1/2 QUAD X	G	RED THREAD GUARD		
P	1/2 BALL	H	LARGE GRAY SNOW GUARD		
Q	5/8 DUAL PRECISION	I	GRAY T.G.		
R	5/8 BALL	L	LARGE BROWN SNOW GUARD		
S	3/4 DUAL PRECISION	M	SMALL TAN SNOWGUARD		
T	3/4 BALL	N	NO T.G.		
U	1/2 DUAL PRECISION	O	OFFSET HUB		
V	5/16 SINGLE PRECISION	P	METAL RETAINER CAPS		
W	5/16 STAINLESS PLASTEEL	R	LARGE TAN SNOWGUARD		
X	5/8 PLAIN	S	SMALL BROWN SNOW GUARD		
Y	3/4 PLAIN	T	T.G.		
Z	1 3/16 PLAIN	V	SS THREADGUARDS		
1	7/16 PLAIN	W	FLAT SPOT RESISTANT MATERIAL		
2	1/2" SS DUAL PRECISION	J	HEAVY DUTY HUB		
3	8MM PRECISION				
4	ADJ FRICTION				
5	1/2 ROLLER CAGED				
6	1/2 PLAIN, SS BUSHING & DELRIN				
7	5/16 DUAL STAINLESS STEEL PRECISION				
8	NO BEARING				
9	8MM PLAIN BORE				
0	12 -15 MM PRECISION				

WA1031BC



POLYOLEFIN

- Lightweight Construction
- Easy Maneuverability
- Economic
- Light Duty Applications

Display Racks • Small Fixtures • Low Mobility Requirements

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WA1031BC	3"	1"	1.13"	150 LBS	PLAIN	3/8"	BLACK
WA2031BC	3"	1"	1.44"	150 LBS	PLAIN	5/16"	BLACK
WA2031BH	3"	1"	1.44"	150 LBS	PLAIN	3/8"	BLACK
WA1034BH	4"	1.25"	1.56"	200 LBS	PLAIN	3/8"	BLACK
WA2041BN	4"	.88"	1"	150 LBS	BUSHING	5/16"	BLACK
WA2044THN	4"	1.25"	1.56"	200 LBS	BUSHING	3/8"	GRAY
WA2044TKN	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	3/8"	GRAY ON TAN
WA2051BC	5"	1"	1.19"	150 LBS	PLAIN	5/16"	BLACK
WA2053BM	5"	1.50"	2.44"	150 LBS	PLAIN	1/2"	BLACK
WA2054BC	5"	1.25"	1.56"	225 LBS	PLAIN	5/16"	BLACK
WA4052BN	5"	2"	2.44"	500 LBS	ROLLER BEARING	1/2"	BLACK
WA4052BY	5"	2"	2.44"	500 LBS	PLAIN	3/4"	BLACK
WO4062BN	6"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLACK
WO4082BN	8"	2"	2.50"	800 LBS	ROLLER BEARING	1/2"	BLACK

COLOR OPTIONS

B



T



BEARING OPTIONS

H



N



TREAD OPTION(S)



RUBBER

- Soft Tread for Shock Absorption
- Easy Maneuverability
- Smooth & Quiet Rolling
- Broad Range of Applications

Transportation Racks • Outdoor Carts • Light Industrial



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WJ1021BZ	2"	1"	1"	85 LBS	PLAIN	6 MM	BLACK
WM4042BN	4"	2"	2.44"	300 LBS	ROLLER BEARING	1/2"	BLACK
WI2054GD	5"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WI2054JDW	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON GRAY
WI3054JFW	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON GRAY
WM4052BN	5"	2"	2.44"	500 LBS	ROLLER BEARING	1/2"	BLACK
WJ1063IMO	6"	1.50"	1.32"	150 LBS	PLAIN	1/2"	BLACK ON WHITE
WM4062BN	6"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLACK
WM4082BN	8"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK
WM4082BNP	8"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK
WM4002BN	10"	2"	2.88"	1000 LBS	ROLLER BEARING	3/4"	BLACK
WM4005BN	10"	2.50"	2.88"	1000 LBS	ROLLER BEARING	3/4"	BLACK
WM4015BN	12"	2.50"	3"	1200 LBS	ROLLER BEARING	3/4"	BLACK


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



WN2054EG

TPR

- Maintenance Free
- Easy Maneuverability
- Smooth & Quiet Rolling
- Resists Debris Impregnation

Distribution Racks • Food Service • Retail • Hospitality •



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WN1044ECN	4"	1.25"	1.56"	175 LBS	5/16 PLAIN	5/16"	GRAY ON BLACK
WN2044GJ	4"	1.25"	1.63"	150 LBS	SINGLE PRECISION	3/8"	GRAY ON GRAY
WN4042TP	4"	1.25"	1.63"	150 LBS	SINGLE PRECISION	3/8"	GRAY ON GRAY
WV2054ED	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON BLACK
WN2051EC	5"	1"	1.19"	150 LBS	PLAIN	5/16"	GRAY ON BLACK
WN2054EG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON BLACK
WN2054TG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON TAN
WN4052AP	5"	2"	2.50"	325 LBS	DUAL QUAD X	1/2"	LIGHT GRAY
WN4062TP	6"	2"	2.50"	375 LBS	DUAL QUAD X	1/2"	GRAY
WF4082TN	8"	2"	2.44"	450 LBS	ROLLER BEARING	1/2"	GRAY ON TAN
WF4083EQ	8"	1.50"	1.50"	325 LBS	DUAL PRECISION	5/8"	GRAY ON BLACK
WN4082GO	8"	2"	2.50"	450 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



PHENOLIC AND EPOXY

- Solid Compression Molded
- Easy Maneuverability
- Economic
- High Load Capacity

Bakery • Heavy-Duty applications • Display Racks • Machinery Stands



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
W12043ND	4"	1.50"	1 3/4"	500 LBS	DUAL PRECISION	5/16	GREEN
W12043NH	4"	1.50"	1 3/4"	500 LBS	BUSHING	5/16"	GREEN
W12043NK	4"	1.50"	1 3/4"	500 LBS	DUAL PRECISION	3/8	GREEN
W22043N2B	4"	1.50"	1.82"	300 LBS	DUAL PRECISION	5/16"	GREEN
W22043NUB	4"	1.50"	1.82"	300 LBS	DUAL PRECISION	5/16"	GREEN
WH2043BC	4"	1.50"	1 3/4"	400 LBS	PLAIN	5/16"	BLACK
WH2043NC	4"	1.50"	1 3/4"	400 LBS	PLAIN	5/16"	GREEN
WH2043NM	4"	1.50"	1 3/4"	400 LBS	PLAIN	1/2"	GREEN
WL4042BN	4"	2"	2.19"	400 LBS	ROLLER BEARING	1/2"	BLACK
WH4052NM	5"	2"	2.44"	500 LBS	PLAIN	1/2"	GREEN
WL4052BZ	5"	2"	2.44"	500 LBS	PLAIN	1.19"	BLACK
WH4062NM	6"	2"	2.44"	800 LBS	PLAIN	1/2"	GREEN
WL4062BN	6"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK

COLOR OPTIONS

N



B



BEARING OPTIONS


H



N



TREAD OPTION(S)



SEMI PNEUMATIC

- Maintains Constant Air Pressure
- Ideal for Towing Applications
- Great for Off-Road Use
- Quiet Rolling

Transportation • Hand Trucks • Outdoor • High Traffic



WS4065YP

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WS4062BO	6"	2"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK
WS4065YP	6"	2.50"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK ON GRAY
WS4082BO	8"	2"	2.50"	500 LBS	BALL BEARING	1/2"	BLACK
WS4082BOO	8"	2"	2.50"	500 LBS	BALL BEARING	1/2"	BLACK
WS4082BT	8"	2"	2.50"	500 LBS	BALL BEARING	3/4"	BLACK
WS4082YO	8"	2"	2.50"	400 LBS	DUAL QUAD X	1/2"	BLACK ON GRAY
WS4089YBO	8"	1.75"	2"	500 LBS	DUAL PRECISION	1/2"	BLACK ON GRAY
WS4005YPC	10"	2.50"	2 3/4"	500 LBS	BALL BEARING	1/2"	BLACK ON GRAY
WS4005YRC	10"	2.50"	2 3/4"	500 LBS	BALL BEARING	5/8"	BLACK ON GRAY
WS4005YRO	10"	2.50"	2.50"	500 LBS	BALL BEARING	5/8"	BLACK ON GRAY

COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



WP4062BO

PNEUMATIC

- Ideal for Towing Applications
- Great for Off-Road Use
- Quiet Rolling
- Easy Maneuverability

Transportation • Garden Carts • Hand Trucks • Hospitality



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WP4062BO	6"	2"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK
WP4082BP	8"	2"	2.50"	450 LBS	BALL BEARING	1/2"	BLACK

COLOR OPTIONS

B



BEARING OPTIONS

D



TREAD OPTION(S)



SILICONE RUBBER

- A70 Soft Rubber on Aluminum
- Quiet Operation
- Dual Large Precision Bearings
- High Temp Grease

W22043NUB



W22043NUB	4"	1.50"	"	LBS	DUAL PRECISION	1/2"	GREEN
W22043N2B	4"	1.50"	"	LBS	SS DUAL PRECISION	1/2"	GREEN

COLOR OPTIONS

N



BEARING OPTIONS

U

2



TREAD OPTION(S)



POLYURETHANE
A75 TPU ROUND TREAD

- Soft Durable Tread
- Quiet Rolling On All Surfaces
- Premium Performance
- Enhances Carts Mobility



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WG1091BB	2.50"	1"	1.25"	70 LBS	BALL BEARING	5/16"	BLACK
WG2044YD	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	BLACK ON GRAY
WG2054ED	5"	1.25"	1.56"	225 LBS	DUAL PRECISION	5/16"	GRAY ON BLACK
WG2054GD	5"	1.25"	1.56"	150 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY

CasterDepot®


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE
A80 TPU FLAT TREAD

- Soft Durable Tread
- Quiet Rolling On All Surfaces
- Premium Performance
- Enhances Carts Mobility



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WQ3054GG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WQ2054YD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLACK ON GRAY
WQ2064GD	6"	1.32"	1.63"	250 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WQ4083YQ	8"	1.50"	1.50"	400 LBS	DUAL PRECISION	5/8"	BLACK ON GRAY

CasterDepot®


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



WC4042LP

POLYURETHANE A98 TPU CROWN TREAD

- Effortless Mobility
- Long Lifespan
- Smooth, Quiet Operation
- Premium Performance



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WC2034LG	3"	1.25"	1.56"	125 LBS	DUAL QUAD X	3/8"	BLUE ON TAN
WC2044BC	4"	1.25"	1.63"	200 LBS	PLAIN	5/16"	BLACK
WC4042LP	4"	2"	2.50"	600 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC2044GD	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WC2044LG	4"	1.25"	1.56"	200 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC2054BC	5"	1.25"	1.63"	250 LBS	PLAIN	5/16"	BLACK
WC2054BE	5"	1.25"	1.56"	250 LBS	PLASTEEL	5/16"	BLACK
WC2054BH	5"	1.25"	1.63"	250 LBS	PLAIN	3/8"	BLACK
WC2054EG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON BLACK
WC2054GD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WC2054LD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON TAN
WC2054LE	5"	1.25"	1.56"	250 LBS	PLASTELL	5/16"	BLUE ON TAN
WC2054LF	5"	1.25"	1.56"	250 LBS	QUAD X FRICTION	5/16"	BLUE ON TAN
WC2054LI	5"	1.25"	1.56"	250 LBS	PLASTEEL	3/8"	BLUE ON TAN
WC2054LW	5"	1.25"	1.56"	250 LBS	STAINLESS PRECISION	5/16"	BLUE ON TAN
WC2054RKN	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	3/8"	RED ON TAN
WC2054TD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON TAN
WC2054TK	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	3/8"	GRAY ON TAN

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WC3054GC	5"	1.25"	1.56"	250 LBS	PLAIN	5/16"	GRAY ON GRAY
WC3054GG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3054GGD	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3054LF	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGD	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGL	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGS	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC4052GO	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY
WC4052LMA	5"	2"	2.50"	800 LBS	PLAIN	1/2"	BLUE ON TAN
WC4052LP	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4052OO	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	ORANGE ON TAN
WC4062GO	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY
WC4062LMA	6"	2"	2.50"	1000 LBS	PLAIN	1/2"	BLUE ON TAN
WC4062LP	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4062ZO	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	ORANGE ON GRAY
WC3064GG	6"	1.25"	1.50"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3064GGD	6"	1.25"	1.50"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC4082LN	8"	2"	2.50"	1200 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WC4082LP	8"	2"	2.50"	1200 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4082LZ	8"	2"	2.50"	1200 LBS	PLAIN	1.19"	BLUE ON TAN
WC4082OO	8"	2"	2.50"	1200 LBS	DUAL QUAD X	1/2"	ORANGE ON TAN
WC4082LM	8"	2"	2.44"	1200 LBS	PLAIN	1/2"	BLUE ON TAN


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE A98 TPU FLAT TREAD


- High Load Capacity
- Long Lifespan
- Effortless Mobility
- Premium Performance



WU4062LN

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WU4042LN	4"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU3354GD3	5"	1"	1.56"	250 LBS	DUAL PRECISION	3/8"	GRAY ON GRAY
WU3354GD1	5"	1.25"	2"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU3354GD6M	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU3354GD6U	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU4052LN	5"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU4052LP	5"	2"	2.44"	800 LBS	BALL BEARING	1/2"	BLUE ON TAN
WU4062LD	6"	2"	2.44"	1000 LBS	DUAL PRECISION	1/2"	BLUE ON TAN
WU4062LN	6"	2"	2.44"	1000 LBS	ROLLER BEARING	1/2"	BLUE ON TAN®
WU4062LZ	6"	2"	2.44"	1000 LBS	PLAIN	1.19"	BLUE ON TAN
WU4082LN	8"	2"	2.44"	1200 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU4082LO	8"	2"	2.44"	1200 LBS	DUAL QUAD X	1/2"	BLUE ON TAN


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE A98 TPU ROUND TREAD

- Effortless Mobility
- Long Lifespan
- Smooth, Quiet Operation
- Premium Performance



WB2054HQ

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WB2052GD	5"	1.25"	1.56"	150 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WB2054HQ	5"	1.25"	1.63"	300 LBS	DUAL PRECISION	5/8"	BLACK ON CHROME

COLOR OPTIONS

H




BEARING OPTIONS

Q



TREAD OPTIONS



POLYURETHANE DIE CAST PU ON STEEL HUB

- Great For Towing Operations
- High Load Capacity
- Effortless Mobility
- Long Lifespan



WZ4052PUN

WZ4042PUN	4"	2"	2.44"	800 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4052PUN	5"	2"	2.44"	1000 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4062PUN	6"	2"	2.44"	1200 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4082PUN	8"	2"	2.44"	1400 LBS	DUAL PRECISION	1/2"	RED ON SILVER

COLOR OPTIONS

P



BEARING OPTIONS

Q



TREAD OPTIONS



WHEELS

casterdepot.com

WY4082RP

POLYURETHANE
DIE CAST PU ON PP HUB

- Great For Towing Operations
- High Load Capacity
- Effortless Mobility
- Long Lifespan



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WY4082RP	8"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	RED ON TAN

COLOR OPTION

R



BEARING OPTIONS

Q



TREAD OPTIONS



POLYURETHANE
SOLID URETHANE

- Chemical Resistant
- High Load Capacity
- Effortless Mobility
- Long Lifespan

WE4052UU



WE4042UU	4"	2"	2.50"	800 LBS	DUAL PRECISION	1/2"	BLUE
WE4052UU	5"	2"	2.50"	1000 LBS	DUAL PRECISION	1/2"	BLUE
WE4062UU	6"	2"	2.50"	1200 LBS	DUAL PRECISION	1/2"	BLUE
WE4082UU	8"	2"	2.50"	1400 LBS	DUAL PRECISION	1/2"	BLUE

COLOR OPTIONS

U




BEARING OPTIONS

Q



TREAD OPTIONS






CasterDepot®



ACCESSORIES & COMPONENTS



AXLES

PART NO.	DESCRIPTION
----------	-------------

CHROME AXLES

MACC1E	5/16" 18 X 2 1/16" CHROME PLATED AXLE
MACC2M	NICKEL-CROWN PLATED THREADED AXLE

DACROMET AXLES

MADC7C	5/16 GRAY DACROMET COATING
MADC7D5N	AXLE W/NYLOK PATCH DACROMET COATING
MADC7DS	AXLE WITH SQUARED SHOULDER

MADJ8B	5/16" X 2" SEMI-TUBULAR DACROMET PLATED RIVET
--------	---

STAINLESS STEEL AXLES

MASA3J	GREASELESS 1/2" STAINLESS STEEL AXLE BOLT, 3.75" IN LENGTH
MASA3JZ	1/2" STAINLESS STEEL WITH ZERK
MASA3K	GREASELESS 1/2 X 13 STAINLESS STEEL AXLE BOLT WITH LENGTH OF 3 3/4 INCH
MASC0D	STAINLESS SOCKET CAP AXLE WITH 5/16" X 18 THREAD AND 2.18" IN LENGTH
MASC1E	5/16-18 STAINLESS STEEL PLATED AXLE
MASC1EZ	5/16" STAINLESS STEEL PLATED AXLE
MASC1G	5/16-18 X 2 3/8" STAINLESS STEEL PLATED AXLE
MASD8FCN	STAINLESS STEEL WITH 1/4 X20 THREAD, CARRIAGE HEAD 2.29 LONG WITH NYLON PATCH
MASZ3JB	HEAVY DUTY AXLE BOLT

ZINC AXLES

MAZA3J	GREASELESS 1/2" AXLE
MAZA3JB	HEAVY DUTY AXLE FOR X2 BRAKE KITS
MAZI3O	5/8" x 21" COLD DRAWN ZINC
MAZI3P	5/8" x 21.75" COLD DRAWN ZINC
MAZI3Q	5/8" x 22.5" COLD DRAWN ZINC
MAZI3QH	5/8" x 22.5" COLD DRAWN ZINC
MAZJ8B	5/16" X 2" SEMI-TUBULAR

AXLES

PART NO.	DESCRIPTION
----------	-------------

MAZA3JBR	HEAVY-DUTY AXLE FOR RIGID CASTERS WITH BRAKE
----------	--

MAZA3JZ	1/2" ZINC PLATED ZERK
---------	-----------------------

MAZA3LZ	1/2" ZERK AXLES - 4 1/2" LONG
---------	-------------------------------

MAZB2D	3/8 HEX HEAD ZINC PLATED
--------	--------------------------

MAZB2FZL	3/8" X 2 3/8" ZINC PLATED
----------	---------------------------

MAZC1A	5/16 AXLE FOR CAS652-P
--------	------------------------

MAZC1AB	5/16" 18 X 2 1/4" ZINC PLATED AXLE
---------	------------------------------------

MAZC1E	5/16" 18 X 2 1/4" ZINC PLATED AXLE
--------	------------------------------------

MAZC1EZ	5/16" ZINC PLATED AXLE
---------	------------------------

MAZC1G	5/16" 18 X 2 13/32 ZINC PLATED AXLE
--------	-------------------------------------

MAZC2A	5/16"-18 UNC BOLT WITH 45MM LENGTH
--------	------------------------------------

MAZC2GB	AXLE FOR Y-BK5 BRAKE KIT
---------	--------------------------

MAZC7DA	5/16 BLACK ZINC PLATED
---------	------------------------

MAZE2J	NUT FOR EZ STOP CASTER ASSEMBLY
--------	---------------------------------

MAZE4C	ZINC-PLATED CLASS 5.8 M
--------	-------------------------

MAZE4G	ZINC-PLATED CLASS 8.8
--------	-----------------------

MAZG3RN	8.8: M12 AXLE X 40MM
---------	----------------------


MAZG6A	ZINC-PLATED CLASS CAP SCREW
--------	-----------------------------

MAZG6R	ZINC-PLATED CLASS 8.8 M12x40 CAP BOLT
--------	---------------------------------------

MAZI3N	5/8" x 19" COLD DRAWN ZINC PLATED AXLE
--------	--



MKPC3CUB



MKEX61



MKBS44BST



MKD1B

KITS


PART NO.	DESCRIPTION
ANTI-STATIC KITS	
MKA54B	ANTI STATIC KIT
MKA54C	ANTI STATIC CHAIN
BRAKE KITS	
MKB	BRAKE LEG FOR BRAKE
MKBS34BSZ	3" BRAKE KIT
MKBS42DSZ	4" X 2" BRAKE KIT
MKBS44BST	STAINLESS STEEL 4" X 1.25" BRAKE KIT 5/16" AXLE HOLE (COMPLETE WITH STAINLESS STEEL ARM)
MKBS52DSZ	5" X 2" COMPLETE BRAKE
MKBS54BST	5" X 1.25" STAINLESS STEEL BRAKE KIT
MKBS54BSZ	5" X 1.25" BRAKE KIT WITH ARM NUT
MKRS44BSZ	4" X 1.25" BRAKE KIT WITH ARM NUT
MKBS62DRZ	6" X 2" HEAVY-DUTY RIGID BRAKE KIT
MKBS62DST	STAINLESS STEEL 6" X 2" COMPLETE BRAKE KIT WITH ARM, AXLE, & NUT
MKBS62DSZ	6" X 2" COMPLETE BRAKE KIT WITH ARM, AXLE, & NUT
MKBS82DSZ	8" X 2" COMPLETE BRAKE KIT WITH ARM, AXLE, & NUT
MKBT	4" TOP LOCK BRAKE KIT KIT WITH ARM, AXLE, & NUT
MKBT44BSP	4" X 1.50" TOP LOCK BRAKE
MKBT54BSP	5" X 1.50" TOP LOCK BRAKE
MKBT54CSP	5" X 1.50" TOP LOCK BRAKE
SOCKETS	
MKD1B	7/16 BLACK PLASTIC ADAPTOR

KITS

PART NO.	DESCRIPTION
EXPANDABLE KITS	
MX61	EXPANDABLE KIT WITH 1.5" O.D. INCLUDES WASHER, PLASTIC BUSHING, RUBBER EXPANDER, AND NUT
MX81	EXPANDABLE KIT 1.79 TO 1.850" O.D. INCLUDES WASHER, PLASTIC BUSHING, RUBBER EXPANDER, AND NUT
MKF2	UNIVERSAL FLOAT
MKFB	BALL TRANSFERS
MKFT	BRAKE PAD REPLACEMENT FOR TABLE FLOAT
P25 KINGPIN KITS	
MKKF21	KINGPIN KIT WITH FRICTION RING
MKKP11	KINGPIN KIT WITH SMALL PLATE
MKKS21	KINGPIN KIT WITH FRICTION RING
FLOOR LOCKS	
MKL5	FLOOR LOCK 5" HANDLE BAR STYLE
MKL6	FLOOR LOCK 6" HANDLE BAR STYLE
MKL8	FLOOR LOCK 8" HANDLE BAR STYLE
BUMPERS	
MKPR5BUG	ROTATIONAL BUMPER F
MKPC3CUB	BLACK CORNER BUMPER
MKPC3CUG	GRAY CORNER BUMPER
MKPD2BRG	GRAY ROUND DONUT BUMPER
MKPR5AUG	ROTATIONAL BUMPER
MKPR5BF	ROTATIONAL BUMPER



NUTS	
PART NO.	DESCRIPTION
CHROME NUTS	
MNCC1N	5/16" CHROME NUT
DACROMET NUTS	
MNDC1R	5/16" GRAY DACROMET
MNDC7N	1" FLANGE TOP LOCKNUT
MNDC7NP	LARGE HEX HEAD/WASHER
STAINLESS STEEL NUTS	
MNSC1N	5/16" STAINLESS STEEL NUT
MNSC1P	STAINLESS STEEL NUT
MNSC1R	5/16" STAINLESS STEEL NUT
MNSC2R	5/16" -18 STAINLESS STEEL REVERSIBLE LOCK
MNSCWS	STAINLESS STEEL TOOTHLOCK WASHER
MNSD7P1	1/4 X 20 THREAD 7/8 HEX, PLAIN LOCK-ING DECREMENT NUT
ZINC NUTS	
MNZA3N	1/2"-13 NUT WITH NYLON
MNZA3P	1/2" X 13 REVERSIBLE LOCK NUT ZINC PLATED
MNZAWSG	SPRING WASHER FOR 6" X 2" RIGID BRAKE
MNZB1R	3/8" ZINC PLATED CENTER LOCK NUT
MNZC1N	NYLON LOCK NUT
MNZC1P	5/16" 18 ZINC PLATED REVERSIBLE LOCK NUT
MNZE4N	ZINC-PLATED CLASS 5.8 M 8 LOCKNUT
MNZG6N	N-M12 - ZINC-PLATED CLASS 8 M1



CART COMPONENTS	
PART NO.	DESCRIPTION
PINS	
MCBHSG	NYLON 6/6 SNAP PIN
SPECIALTY	
MCNFBMZ	U-BOAT BRAKE LINKAGE
HANDLE BARS	
MCRBHPGW	GRAY HDPE HANDELBAR
MCTBHPGL	HANDLE TECH LT-G
MCTBHPGW	GRAY HDPE HANDLEBAR
MCTBHPLK	BLUE HDPE HANDLEBAR
MCTBHPLS	BLUE HDPE HANDLEBAR
MCTBHPRD	RED HDPE WITH UV STAB
CART BUMPERS	
MCU9VP	FULL VERTICLE CORNER BUMPER 90Z
MCUBLPG	TOP RIM CORNER BUMPER LEFT
MCUBTLB	BLACK LDPE ROUND CAP
MCUBTLG	GRAY LDPE ROUND CAP

CART COMPONENTS	
PART NO.	DESCRIPTION
LEG HOLE CLOSURES	
MCUBEP2	ASTM LEG HOLE CLOSURE
MCUBEPBS	ASTM LEG HOLE CLOSURE
MCUBEPOS	ASTM LEG HOLE CLOSURE
MCUBHPEG	GREEN HDPE HANDLE
MCUBHPEM	GREEN HDPE HANDLE
MCUBHPGW	7/8" HANDLE CLIP (EMBOSSSED WAL-MART)
MCUBHPGW1	GRAY HDPE HANDLEBAR
MCUBHPLK	BLUE HDPE HANDLEBAR
MCUBHPOS	7/8" HANDLE CLIP IN BLUE

MGZ6OLS



GUARDS	
PART NO.	DESCRIPTION
4" THREADGUARDS	
MGP4G5B	THREAD GUARD
MGP4GST	TAN THREAD GUARD
5" THREADGUARDS	
MGP5DSB	THREAD GUARD
MGP5FSR	RED FRICTION THREAD GUARD
MGP5GNT	LARGE TAN SNOW GUARD
MGP5GNW	DARK BROWN STANDARD SNOW GUARD
MGP5GSG	CHARCOAL GRAY THREAD GUARD
MGP5GSR	RED THREADGUARD
MGP5GST	TAN THREADGUARDS
MGP5GWT	LARGE TAN SNOW GUARD
MGP5GWW	DARK BROWN LARGER SNOW GUARD
MGP5QSL	THREADGUARD FOR W-127-PION
MGP6GSB	BLUE THREADGUARDS
6" AND 8" THREADGUARDS	
MGZ6OLS	SILVER THREADGUARD



BEARINGS & WHEEL COMPONENTS

PART NO.	DESCRIPTION
20 SERIES	
MW20BDCSGI	PRECISION BEARING
MW20BDCSTI	BEARING FOR W-327-AP
MW20BEP	PLASTIC BEARING
MW20BIP	3/8" BALL PLASTIC BEARING
MW20BR	BALL BEARING I.D. 5/8 O.D. 1-3/8
MW20MH	ZINC PLATED METAL END CAPS WITH 3/8" AXLE HOLE
MW20U4C	BUSHING FROM W-849-PB
MW20U4S	STAINLESS STEEL SLEEVE
30 SERIES	
MW30BFC	BEARING FOR W-817-PF
MW30BGC	8.08 MM I.D. PRECISION BEARING
MW30BGCG	PRECISION BEARING
MW30BGCT	PRECISION BEARING
MW30IFD	FRICTION INSERT
MW30IGD	BLACK POLYPROPYLENE
MW30U1S	STAINLESS STEEL BUSHING

BEARINGS & WHEEL COMPONENTS

PART NO.	DESCRIPTION
40 SERIES	
MW40BBC	1/4" BALL BEARING
MW40BOC	1/2 BALL BEARING
MW40BPC	CARBON STEEL BEARING
MW40BTC	LOW CARB BALL BEARING
MW40BUCA	PRECISION BEARING P/N
MW40BVCBM	3/4" I.D. 1.19" O. D. 1 7/8" LONG SPLIT SLEEVE ROLLER BEARING ASSEMBLY WITH 1/2" ID BUSHING AND END CAPS
MW40BVCH	3/4" I.D. 1.19" O. D. 1 7/8" LONG SPLIT SLEEVE ROLLER BEARING
MW40IN	INSERT FOR B-RBG-0.500
MW40IPD	INSERT IN BEARING
MW40MN	METAL END CAPS
MW40PN	PLASTIC END CAPS
MW40U1SH	B-902-SH- STAINLESS STEEL BUS
MW40U2C	SPANNER BUSHING FOR W-853-5-TP
MW40U3CH	B-SB500- 3/4" O.D. X 1/2" I.D
MW40U5	BUSHINGS FOR THE 10 X 2 1/2 RU
MW40U7CH	MW40U7CH:- 3/4" O.D. X 5/8" I

**KEEPING
THE WORLD
ROLLING**
FOR OVER 45 YEARS



casterdepot.com



CasterDepot®