

2014

casterdepot.com

PRODUCT CATALOG | SELECTION GUIDE

KEEPING
THE WORLD
ROLLING
FOR OVER 45 YEARS



CasterDepot®

CASTERS



CASTERS CODEX


casterdepot.com

Example Code: Z20P154CLDE--*see first row

Z		20		P1	5		4		C	
YOKE MATERIAL		SERIES		MOUNT ATTACHMENT	WHEEL DIAMETER		WHEEL T.W.		WHEEL MATERIAL	
Z	ZINC PLATED STEEL WITH LACQUER DIP	10	LIGHT DUTY	** See Next Page	0	10"	1	1"	A	PO CROWN
E	RAW STEEL (RUST PRE-VENTION COATING)	11	TWIN WHEEL		1	12"	2	2"	B	TPU A98 ROUND ON PP
P	PLASTIC	12	LIGHT DUTY RIGID		2	2"	3	1.50"	C	TPU A98 CROWN ON PP
T	STAINLESS STEEL	20	LIGHT/MEDIUM		3	3"	4	1.25"	D	FOAM FILLED
C	CHROME	22	LIGHT/MEDIUM RIGID		4	4"	5	2.50"	E	SOLID URETHANE
A	POWDER COAT	25	LIGHT/MEDIUM DUTY PREC BEARING SWIVEL		5	5"	6	3"	F	TPR A90 FLAT ON PP
B	BLACK ANODIZED	26	INDUSTRIAL SWIVEL		6	6"	7	3/4"	G	TPU A75 ROUND ON PP
X	PREMIUM ZINC NON HEAT TREATED	27	INDUSTRIAL RIGID		7	3.50"	9	1 3/4"	H	FLAT HIGH TEMP
D	BRASS	30	SHOPPING CART/RETAIL SWIVEL		8	8"	A	24MM	I	SOFT RESISTANT RUBBER
N	ZINC PLATED NON HEAT TREATED	31	SHOPPING CART RIGID		9	2.5"	B	32MM	J	HARD RUBBER
		33	TRAVELATOR	T	8" Y WITH 6" W	C	30MM	K	TPE A98 FLAT ON PP	
		34	TRAVELATOR PRECISION	X	5" Y WITH 4" W	D	41MM	L	FLAT PHENOLIC	
		35	SHOPPING CART PRECISION SWIVEL	Y	4" Y WITH 5" W	E	45 MM	M	RUBBER FLAT ON STEEL	
		36	SHOPPING CART WELDED PRECISION SWIVEL	Z	6" Y WITH 8" W			N	TPR A70 CROWN ON PP	
		37	EZ STOP	A	50MM			O	PO FLAT	
		40	MEDIUM/HEAVY	B	75MM			P	PNEUMATIC	
		41	MHD - SWIVEL WITH POSITION LOCK	C	100MM			Q	TPU A80 FLAT ON PP	
		42	MEDIUM/HEAVY RIGID	D	125MM			R	TPR ROUND ON PP	
		50	HEAVY DUTY	E	120MM			S	SEMI PNEUMATIC	
		52	HEAVY DUTY RIGID					T	CROWN NR ON PP	
								U	TPU A98 FLAT ON PP	
								V	RECYCLABLE A98 TREAD	
								W	BLOW MOLDED	
								X	SOLID STEEL	
								Y	DIE CAST TPU TREAD ON PP	
								Z	DIE CAST TPU ON STEEL HUB	
								1	HIGH TEMP EPOXY RESIN	
								2	SOFT SILICONE ON ALUMINUM	
								3	NYLON FLAT	
								4	A85 TPE FLAT ON PP	
								5	TPU D60 FLAT ON PP	
								6	TPE A85 CROWN ON PP	
								7	TPE A80 CROWN ON PP	
								8	TPU A90 ROUND ON PP	
								9	TPU D64 FLAT ON PP	
								0	PP D70-D72	

L		D		E		*		**	
COLOR		BEARING		ASSEMBLY		OPTION		OPTION	
A	LIGHT GRAY	A	1/4 PLAIN	A	1/4" RIVET	0	LEFT	1	BLACK BUMPER
B	BLACK	B	1/4 BALL	B	1/4" A/N	1	RIGHT	2	GRAY BUMPER
D	GRAY ON BLUE	C	5/16 PLAIN	C	5/16" RIVET	2	TWIN WHEEL	3	RED BUMPER
E	GRAY ON BLACK	D	5/16 DUAL PRECISION	D	5/16" A/N	3	TRIPLE BLADE TRAVELATOR WHEEL	4	BLUE BUMPER
F	BLACK ON TAN	E	5/16 PLASTEEL	E	5/16" A/NY			B	FRONT WHEEL
G	GRAY ON GRAY	F	5/16 QUAD X FRICTION	F	5/16" A/NSS	5	DOUBLE UNITIZED DISC	L	TOTAL LOCK
H	BLACK ON CHROME	G	5/16 QUAD X	G	3/8" RIVET	6	DUAL INDEPENDENT	W	4.8 MM DISC
I	BLACK ON WHITE	H	3/8 PLAIN	H	3/8" A/N	7	DUAL INDEPENDENT WITH NUCLEUS LOCK	Z	4.8 MM DISC AND RED BUMPER
J	BLUE ON GRAY	I	3/8 PLASTEEL	I	3/8" A/NY	8	DUAL INDEPENDENT WITH SQUARE TOP LOCK	A	4.8 MM DISC AND BLACK BUMPER
L	BLUE ON TAN	J	3/8 SINGLE PRECISION	J	3/8" A/NSS	9	DUAL INDEPENDENT WITH FLAT TOP LOCK	T	TOP BRAKE
M	GRAY ON CHROME	K	3/8 DUAL PRECISION	K	1/2" A/N	A	STAINLESS BALL BEARINGS	5	RIGHT
N	GREEN	L	3/8 QUAD X	L	1/2" A/NY	B	SIDE BRAKE	6	LEFT
O	ORANGE ON TAN	M	1/2 PLAIN	M	1/2" A/NSS	C	CAM BRAKE	7	SMALL THREADGUARDS
P	RED ON SILVER	N	1/2 ROLLER	N	5/16 DACROMET	D	DISSIPATIVE	8	WANZL NAME
R	RED ON TAN	O	1/2 BALL BEARING	O	5/16" A/N ZERK	E	HEAVY DUTY	9	4.8 MM DISC AND BLUE BUMPER
S	BLACK ON BRASS	P	1/2 QUAD X	P	5/16" SS ZERK A/N	F	HIGH TEMP USAGE	G	4.8 MM DISC AND GREEN BUMPER
T	GRAY ON TAN	Q	5/8 DUAL PRECISION	Q	8MM CHROME A/NY	G	9 GA STEEL	C	GREEN BUMPER
U	BLUE	R	5/8 BALL	R	8MM SS A/N	H	11 GA STEEL	S	SIDE BRAKE
V	SILVER	S	3/4 DUAL PRECISION	S	3/8" A/N ZERK	I	ANTISTATIC CHAIN	D	DISSIPATIVE WITH BLACK BUMPER
W	WHITE	T	3/4 BALL BEARING	U	5/16" CHROME A/NY	J	BRAKE LEGS	E	RIGHT 4.8 MM DISC
X	GREEN ON SILVER	U	1/2 DUAL PRECISION	V	12MM CHROME A/NY	K	90 DEGREE MOUNT	F	LEFT 4.8 MM DISC
Y	BLACK ON GRAY	V	5/16 SINGLE PRECISION	W	8MM A/N	L	TOTAL LOCK BRAKE	H	RIGHT 4.8 MM DISC WITH GREEN BUMPER
K	GRAY ON GREEN	W	5/16 STAINLESS PLASTEEL	X	8 MM A/NY	M	BROWN SNOWGUARD	I	LEFT 4.8 MM DISC WITH GREEN BUMPER
Z	GRAY ON RED	X	5/8 PLAIN	Y	8MM A/A	N	CREAM SNOWGUARD	J	DISSIPATIVE WITH GREEN BUMPER
Q	BLUE ON BROWN	Y	3/4 PLAIN	Z	1/2" A/N ZERK	O	METAL THREADGUARDS	K	45 MM WIDTH
		Z	1 3/16 PLAIN			P	LARGE THREADGUARDS	M	DARK GREEN BUMPER
		1	7/16 PLAIN			Q	ROTATIONAL BUMPER	N	4.8 MM DISC AND DARK GREEN BUMPER
		2	12MM PRECISION			R	DIRECTIONAL LOCK	O	BLUE BUMPER PMS 288
		3	8MM PRECISION			T	TOP BRAKE	P	NON HEAT TREATED
		4	ADJ. FRICTION			U	180/360 BRAKE SYSTEM		
		5	1/2 ROLLER CAGED BEARING			V	SS THREADGUARDS		
		6	1/2 PLAIN, SS BUSHING & DELRIN			W	ADAPTER		
		7	5/16 DUAL STAINLESS STEEL PRECISION			X	BUMPER		
		8	NO BEARING			Z	GRAY THREADGUARDS		
		9	8MM PLAIN BORE			&	GRAY SNOWGUARDS		
		0	15 MM PRECISION						
		*	1/2" SS DUAL PRECISION BEARING						
		-	3/8 PLAIN STAINLESS						

MOUNT ATTACHMENTS



P3
4 X 4 1/2

IMPERIAL PLATES

- P1 2 3/8 X 3 5/8
- P2 3 1/8 X 4 1/8
- P3 4 X 4 1/2
- P4 2 POSITION PINS
- P5 3 1/8 X 4 1/8 E-W QUICK RELEASE
- P6 3 1/8 X 4 1/8 N-S QUICK RELEASE
- PZ SOLID PLATE



TB
1/2" X 13 X 3/4"

THREADED

- T1 3/8 X 16 X 1 1/2
- T2 1/2 X 13 X 1 3/4
- T3 1/2 X 13 X 1 1/2 KEYED
- T4 1/2 X 13 X 2 1/2 SHOULDER
- T5 1/2 X 13 X 1 BOLT UNDER RACEWAY
- T6 1/2 X 13 X 1 1/2
- T7 12MM X 22MM KEYED
- T8 1 X 5/16 - 18
- T9 1/2 X 13 X 1 7/8 KEYED
- T0 1/2" X 13 X 25 MM
- TA 7/6" X 14 X 2"
- TB 1/2" X 13 X 3/4"
- TC 7/16" X 14 X 5/8"



C1
1/2 X 13 X 7/8 KEYED

SHOPPING CART

- C1 1/2 X 13 X 7/8 KEYED



F2
7/16 X 1 3/4

FRICTION

- F1 7/16 X 1 1/8
- F2 7/16 X 1 3/4
- F3 1.00 ROUND
- F4 .845 SQUARE
- F5 7/16 X 1 3/8
- F6 7/16 X 1 17/32
- F7 .843 ROUND
- F8 5/16 X 1 1/2 GRIP NECK
- F9 .865 ROUND



X7
1.685"

EXPANDABLE

- X1 .716"
- X2 .846"
- X3 1.031
- X4 1.25
- X5 1.32
- X6 1.5
- X7 1.685
- X8 1.875

MOUNT ATTACHMENTS



S2
.845 WITH 5/16 HOLE

SQUARES

- S1 0.74
- S2 .845 WITH 5/16 HOLE
- S3 0.865
- S4 1
- S5 .845 WITH 1/2 HOLE
- S6 0.5 SQUARE



R2
1"

ROUND

- R1 0.81
- R2 1"
- R3 0.843
- R4 1/2 ROUND STEM 4.5" TALL WITH GROOVE
- R5 843 WITH SHOULDER
- R6 0.712
- R7 0.48" ROUND
- R8 0.81" WITH 5/16" HOLE
- R9 0.75" WITH 2 19/64" HOLES



O2
1/2" OPEN HOLE

OPEN HOLE


- O1 12MM OPEN HOLE
- O2 1/2" OPEN HOLE
- O3 5/16 OPEN HOLE



X 55 MM WITH
NYLOCK PATCH

OPEN HOLE WITH BOLT

- A1 M12 X 40MM WITH NYLOCK PATCH
- A2 M12 X 60MM WITH NYLOCK PATCH
- A3 M12 X 35MM WITH NYLOCK PATCH
- A4 1/2 X 13 X 1 1/2 WITH NYLOCK NUT
- A5 M10 WITH EXPANDABLE
- A6 M12 X 45 MM WITH NYLOCK PATCH
- A7 M12 X 50 MM
- A8 M12 X 40 MM
- A9 M12 X 60 MM
- A0 M12 X 45 MM
- AA M12 X 35 MM WITH NYLOCK NUT
- AB M12 X 55 MM WITH NYLOCK PATCH
- AC M12 X 50 MM WITH NYLOCK PATCH
- AD CADDIE PINTLE



B4
957 TRAVELATOR

31 SERIES STYLES

- B1 233 REHRIG
- B2 936 UNARCO
- B3 845 TOTE
- B4 957 TRAVELATOR
- B5 TECHNIBILT
- B6 845 PLASTICART (centered axle hole)
- B7 845 TOTE WITH 1" HOLE
- B8 845 UNARCO
- B9 233 REHRIG WITH 1" HOLE
- BA PRODUCE TABLE

10/12 LIGHT DUTY

Our Light Duty caster line is ideal for load capacities under 200 lbs. Typically these casters are smaller in diameter and used for minimal movement applications

Display Racks • Minimal Movement Applications



Z10T431ABCD

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z10R421JBCC	2"	2.69"	HARD RUBBER	2.13"	1"	50 LBS	5/16" R	BLACK	CASTER ONLY
Z10O334GBDE	3"	3.25"	TPU A75 ROUND ON PP	2.19"	1.25"	110 LBS	5/16" A/NY	BLACK	YZ10O3342
Z10F131ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10F1312
Z10F131ABCDB	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10F1312C
Z10T131ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T8312
Z10T431ABCD	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T4312
Z10T431ABCDB	3"	3.75"	CROWN PO	2.69"	1"	150 LBS	5/16" A/N	BLACK	YZ10T4312C

11 TWIN CASTER

Twin casters are primarily used in furniture and light weight applications. Our models support a range of light weight products up to demanding bulk good loads.

Display Racks • Furniture • Decorative Carts • Small Appliances



P11F82TTBAT

P11F82TTBAT	2"	1 5/16"	CROWN NR ON PP	1.44"	3/8"	-	-	BLACK	CASTER ONLY
-------------	----	---------	----------------	-------	------	---	---	-------	-------------



T20P244HNHF

20/22 LIGHT/MEDIUM DUTY, CONTINUED

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
T20P244HNDF	4"	5"	FLAT HIGH TEMP	3.63"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P2442
T20P244HNHF	4"	5"	FLAT HIGH TEMP	3.63"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P2442
T20P344HNDF	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20P3442F
T20S3X4HNDF	5"	5.50	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NSS	GREEN	YT20S3542
ZINC PLATED CASTERS									
Z20P199ABHI	2.50"	3.50"	PO CROWN	2.75"	1.25"	200 LBS	3/8" A/NY	BLACK	CASTER ONLY
Z20P134ABCE	3"	4"	CROWN PO	3"	1.25"	150 LBS	5/16" A/NY	BLACK	YZ20P1342
Z22P134ABCE	3"	4"	CROWN PO	-	1.25"	150 LBS	5/16" A/NY	BLACK	YZ22P1342
Z20P134ABCEB	3"	4"	CROWN PO	3"	1.25"	150 LBS	5/16" A/NY	BLACK	YZ20P1342
Z20P134CLDE	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1342
Z20P134CLDEB	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1342
Z20P134RGHH	3"	4"	TPR ROUND ON PP	3"	1.25"	150 LBS	3/8" A/N	GRAY ON GRAY	CASTER ONLY
Z20P134RGHHB	3"	4"	TPR ROUND ON PP	3"	1.25"	150 LBS	3/8" A/N	GRAY ON GRAY	CASTER ONLY
Z20P234CLGE	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	125 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2342
Z20P234CLGEB	3"	4"	TPU A98 CROWN ON PP	3"	1.25"	125 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2342
Z20P234JBHH	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20P234JBHHB	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY



Z20P244CLGE



Z20S444CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20P234JBHH	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20P234JBHHB	3"	4"	HARD RUBBER	3"	1.25"	125 LBS	3/8" A/N	BLACK	CASTER ONLY
Z20C1X4CLGE	4"	5.50	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z20P144CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P1442
Z22P144CGDE	4"	5"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ22P1442
Z20P144CGDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P1442
Z20P144CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z22P144CLCE	4"	5"	TPU CROWN A98 ON PP	-	1.25"	200 LBS	3/8" A/NY	BLUE ON TAN	YZ22P1442
Z20P144CLDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z20P144CLDET	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z20P144CTCET	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1442
Z22P144CTCE	4"	5"	TPU CROWN A98 ON PP	-	1.25"	200 LBS	3/8" A/NY	GRAY ON GRAY	YZ22P1442
Z20P244CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P2442
Z20P244CGDEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ20P2442
Z20P244CLGE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2442
Z22P244CLGE	4"	5"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2442
Z20P244CLGEB	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2442
Z20S444CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20S4542
Z20T544NGHI	4"	5"	TPE A70 CROWN ON PP	3.50"	1.25"	150 LBS	3/8" A/NY	GRAY ON GRAY	YZ30T5443

20/22 LIGHT/MEDIUM DUTY, CONTINUED



Z20P154CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20T647UBCC	4"		FLAT TPU A 98 ON PP	2 5/16"	3/4"	100 LBS	5/16" R	BLACK	CASTER ONLY
Z20A854CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ30C1542
Z20F254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F2542
Z20F254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F2542
Z20F254NEGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20F2542
Z20F254NYCE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F254NYCEB	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F254NYCET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	BLACK ON GRAY	YZ20F2542
Z20F354ABCE	5"	6"	CROWN PO	4"	1.25"	225 LBS	5/16" A/NY	BLACK	YZ20F3542
Z20F354ABCEB	5"	6"	CROWN PO	4"	1.25"	225 LBS	5/16" A/NY	BLACK	YZ20F3542
Z20F354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F3542
Z20F454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20F4542
Z20F454NEDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20F4542
Z20F754CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	Y-887.843
Z20F754CGGEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	Y-887.843
Z20P154CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P1542
Z22P154CBCE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLACK	YZ22P1542
Z20P154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542



Z20P254CLDEB



Z20P154CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20P154CBCET	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542
Z20P154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CBCEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P1542
Z22P154CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P1542
Z20P154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CLDO	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/N ZERK	BLUE ON TAN	YZ20P1542
Z20P154CLGED	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z20P154CLGEDT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CLWE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1542
Z20P154CTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P154NECE	5"	6.25"	TPR A70 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON BLACK	YZ26P1542
Z20P154NECEB	5"	6.25"	TPR A70 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON BLACK	YZ26P1542
Z20P154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P1542
Z20P154NTGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P154QTDE	5"	6"	TPU A80 TPU ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20P1542
Z20P254CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20P2542
Z22P254CBCE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLACK	YZ22P2542
Z20P254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542

20/22 LIGHT/MEDIUM DUTY, CONT.



Z20S154CLDET

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z22P254CLDET	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542
Z22P254CLDEK	5"	6"	CROWN TPR A98 ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542K
Z20P254CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254CLEET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P254NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P2542
Z22P254NEGE	5"	6"	TPR A70 CROWN ON PP	-	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ22P2542
Z20P254NEGEB	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P2542
Z20P354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z20P354CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z22P354CGDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ22P3542
Z20P254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P2542
Z22P254CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22P2542
Z20R154CLDC	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" RIVET	BLUE ON TAN	YZ20R1542
Z20R154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20R1542
Z20R454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20R4542
Z20S154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YT20S1542
Z20S154CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542
Z20S154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542
Z20S154CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S1542



Z20T254CLDE



Z20S554CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20S154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20S1542
Z20S154NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20S1542
Z20S254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S2542
Z20S254CTDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254CTDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254NTGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S254NTGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON TAN	YZ20S2542
Z20S354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLEET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YT20S3542
Z20S354CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S354CLGET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S3542
Z20S3X31NDD	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20S3542
Z20S554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20S5542
Z20T254CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20T2542
Z20T254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z22T254CLDE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ22T2542

20/22 LIGHT/MEDIUM DUTY, CONT.



Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z20T254CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z20T254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T2542
Z20T454CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20T4542
Z20T454CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X254CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20T4542
Z20X254CGGEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254CLDEQ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X2542
Z20X254GGDE	5"	6"	TPU A75 ROUND ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254GGDET	5"	6"	TPU A75 ROUND ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X2542
Z20X254NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X2542
Z20X354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X354CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542



Z20X354CLDE



Z20X654CLDE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z20X354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X354NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X354NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X454CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X454CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X454CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T452
Z20X554CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X554CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X654CGDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654CGDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X754CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X7542
Z20X754CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X7542
Z20X854CLEE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542
Z20X854CLEEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20T4542

20/22 LIGHT/MEDIUM DUTY, CONTINUED



Z20P244HNHDB

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC HIGH TEMP CASTERS

Z20P149LNDD	4"	5"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P1442F
Z20P244HBCD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P2442F
Z20P244HNCO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N ZERK	GREEN	YZ20P2442F
Z20P244HNDD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2442F
Z22P244HNDD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ22P2442
Z20P244HNDO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N ZERK	GREEN	YZ20P2442F
Z20P244HNHDB	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2442F
Z20P244HNMD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	GREEN	YZ20P2442F
Z20P344HBCD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P3442F
Z20P344HNMD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	GREEN	YZ20P3442F
Z20P349LNDD	4"	5.6"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P3542F
Z20P544HBCD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N	BLACK	YZ20P5442F
Z20P544HNCO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	400 LBS	5/16" A/N ZERK	GREEN	YZ20P5442F
Z20P544HNDD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P5442F
Z20P544HNDO	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N ZERK	GREEN	YZ20P5442F
Z20P544HNHD	4"	5.13"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P5442F
Z20S2X3HNDE	4"	5.44"	FLAT HIGH TEMP	3.50"	1.50"	500 LBS	5/16" A/NY	GREEN	YZ20S2542
Z20S3X4CLDE	4"	5.50	HIGH TEMP EPOXY RESIN	3.50"	1.50"	500 LBS	5/16" A/NY	GREEN	YZ20S3542



Z20P544HNDD



Z20P244HBCD

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Onl Part #
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654GCTKE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20X6542
Z20X654NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X654NEGET	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20X6542
Z20X654CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X654CLDEQ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542
Z20X654CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20X6542

CasterDepot®

25 LIGHT/MEDIUM DUTY PRECISION

P&H's Precision Raceway line of casters includes a limited scope of medium duty casters that utilize a precision bearing raceway in the swivel. These very specialized casters are guaranteed to increase performance and reduce noise in any application.

Hospital Applications • Specialty Consumer Carts • Luxury Performance



P25P154GGDN

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

PLASTIC CASTERS

P25C154CGGN	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25C2542
P25F254CGDN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542
P25F254CGDNT	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25F354CGDNT	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25F754CGCN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25R3542
P25F754CGCN	5"	6.13"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25R3542
P25S254CGDNT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25S2542T
P25O254CGDN	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542

25 LIGHT/MEDIUM DUTY PRECISION, CONTINUED



Z25P244CGDE



P25F354CGDNT

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
P25O254CGDNT	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542T
P25P154GGDN	5"	6.38"	TPU A75 ROUND ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542
P25P154GGDNT	5"	6.38"	TPU A75 ROUND ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25O2542T
P25S554UGCF	5"	6.50	TPU A98 FLAT ON PP	4	1.25"	200 LBS	5/16" A/NSS	GRAY ON GRAY	YP25S5542A
P25X254CGCNT	5"	6"	TPU A98 CROWN ON PP	3.25	1.25"	250 LBS	5/16 DACROMET	GRAY ON GRAY	YP25O2542T
P25S254CGDN	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" DACROMET	GRAY ON GRAY	YP25S2542

ZINC PLATED CASTERS

Z25P244CGDE	4"	4"	TPU A98 CROWN ON PP	3"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ25P2442
-------------	----	----	---------------------	----	-------	---------	------------	--------------	-----------

CasterDepot®

26/27 INDUSTRIAL/MEDIUM DUTY

Our Industrial/Medium Duty casters support individual weight capacities of 150 lbs to 400 lbs. This series is constructed with a higher mount height than the 20/22 series, meeting more specific replacement and existing industry application requirements.

Food Service • Material Handling • General Purpose • Transport Dollies
• Institutional



Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z26P154CLDE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z27P154CLDE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ27P1542
Z26P154CLDEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CBCE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542
Z27P154NECE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ27P1542
Z26P154CLGE	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z27P154CLGE	5"	6.25"	TPU A98 CROWN ON PP	-	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ27P1542
Z26P154CLGEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CLGET	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ26P1542
Z26P154CBCEB	5"	6.25"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ26P1542

30 RETAIL AND SHOPPING CART

P&H is a global leader in retail products. Our specialty has been in shopping cart products since the 1980's. The following pages detail a wide variety of options for nearly any retail application imaginable.

Shopping Carts • Retail Carts • Child Carts • Shop-a-longs •
Deli and Bakery Racks



Z30C144CLGE

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	---------------	-------------	---------------	------	-------	------------------

ZINC PLATED CASTERS

Z30C144CGDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1442
Z30C144CGDE	4"	5.5"	TPU A98 CROWN ON PP	3.50"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1542
Z30C144CLGE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1442
Z30P144CLDE	4"	5"	TPU A98 CROWN ON PP	3.50"	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ20P1442
Z30P242HNDD	4"	5.5"	HIGH TEMP EPOXY RESIN	3.50"	1.50"	500 LBS	5/16" A/N	GREEN	YZ20P2542
Z30T544CTKIB	4"	5"	TPU CROWN A98	3.50"	1.25"	200 LBS	3/8" A/N	GRAY ON TAN	YZ30T5443
Z30T544UTHH	4"	5"	TPU CROWN A98	3.50"	1.25"	200 LBS	3/8" A/N	GRAY ON TAN	YZ30T5443
Z30A454CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ20O2542
Z30C154CEDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C1542
Z30C154CGDE	5"	6"	CROWN TPU A95 ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON TAN	YZ30C1542
Z30C154CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C1542
Z30C154CL4E	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154CLDEI	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542
Z30C154UL4E	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C1542

30 MEDIUM DUTY, CONTINUED



Z30C154CBCE

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
Z30A254CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30O154Z
Z30A754CGDEY	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30O154ZY
Z30A754CGDEYT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ30O154ZY
Z30C154CBCE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ30C154Z
Z30C154CLDEM	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154CLDEP	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154CLGED	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154CLGEZ	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30C154Z
Z30C154NEGE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C154Z
Z30C154QGGE	5"	6"	TPU A80 TPU ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON GRAY	YZ30C154Z
Z30C154ULFE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN®	YZ30C154Z
Z30C154VEDE	5"	6"	RECYCLABLE A98 TREAD	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON BLACK	YZ30C154Z
Z30P254CLDEDT	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ20P254Z
Z30P254NEDEN	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20P254Z
Z30T354CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30T354Z
Z30T354CLDET	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ30T354Z
Z30T954CBCEB	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLACK	YZ20T254Z
Z30T954NEDE	5"	6"	TPR A70 CROWN ON PP	4"	1.25"	225 LBS	5/16" A/NY	GRAY ON BLACK	YZ20T254Z

31/33/34/35 SPECIALTY SHOPPING CART

With P&H's global presence comes the need to supply products for various retail environments. Our specialty range answers many of the challenges faced by retailers in today's marketplace.

Travelators • Escalators • Cart Retention •
Rear Rigs • Premium Performance



Z31B654CLGE

Part #	Wheel Diameter	Overall Height	Wheel Material	Tread Width	Swivel Radius	Load Capacity	Axle	Color	Yoke Only Part #
--------	----------------	----------------	----------------	-------------	---------------	---------------	------	-------	------------------

RAW STEEL CASTERS

E31A2545G3X0	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
E31A6545G3X0	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
E31A2545G3X1	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98M
E31A6545B3X1	5"	6.13"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	BLACK	YZ3301D98M

ZINC PLATED CASTERS

Z31P144CTKI	4"	3.75"	TPU A98 CROWN	-	1.25"	150 LBS	3/8" A/N	GRAY ON TAN	CASTER ONLY
Z31B654CLGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CGGE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ31B6542
Z31B654CLFE	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLFE0	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLFE1	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLGE0	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542
Z31B654CLGE1	5"	6"	TPU A98 CROWN ON PP	-	1.25"	200 LBS	5/16" A/NY	BLUE ON TAN	YZ31B6542

TRAVELATOR CASTERS

Z33A2D95G3X9	125MM	6"	TPU D60 FLAT ON PP	4"	1.75	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98
Z33A2D95G3X95	125MM	6"	TPU D60 FLAT ON PP	4"	1.75"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98Q
Z33A2D95G3X96	125MM	6"	TPU D60 FLAT ON PP	4"	1.75"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ3301D98M

31/33/34/35 SPECIALTY SHOPPING CART, CONTINUED



Z34A254UDE9

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z33C1DD5G3X	125MM	6"	FLAT TPU D60 ON PP	4"	41 mm	250 LBS	5/16" A/NY	GRAY ON GRAY	YZ33C1542J
Z33A152CT0X0	5"	6"	FLAT TPU A 98 ON PP	4.19"	1.25"	250 LBS	8MM A/NY	GRAY ON GRAY	YZ33O1528
Z33A152CT0X1	5"	6"	TPU A98 CROWN ON PP	4.19"	1.25"	250 LBS	8MM A/NY	GRAY ON GRAY	YZ33O1528
Z33A354CGDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542
Z33A354CGDE0	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542Q
Z33A354CGDE1	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	GRAY ON GRAY	YZ33O1542M

TRAVELATOR PRECISION CASTERS

Z34A0D95G3X7	125MM	6.13"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A1D95G3X7	125MM	6"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A1DC5G3X9	125MM	6"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ34O1D38
Z34A1ED5G3Y0	120MM	6"	TPU D60 FLAT ON PP	3.81"	1 13/16"	150 LBS	8MM A/A	GRAY ON GRAY	YZ34O1D39
Z34A1ED5G3Y1	120MM	6"	TPU D60 FLAT ON PP	3.81"	1.25"	150 LBS	8MM A/A	GRAY ON GRAY	YZ34O1D39
Z34A2D95G3X7	125MM	6"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A2D95G3X7	125MM	6.13"	TPU D60 FLAT ON PP	4"	1.19"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z34A6D95G3X6	125MM	6.19"	TPU D60 FLAT ON PP	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ34O1D39
Z34A254UDE9	125MM	6.13"	TPU D60 FLAT ON PP	3.50	32MM	150 LBS	8 MM A/NY	GRAY ON GRAY	X35A3DB8

TRAVELATOR CART PRECISION CASTERS

Z35A354IG3X	5"	6"	SOFT RUBBER	4"	1.25"	150 LBS	8 MM A/NY	GRAY ON GRAY	YZ25O1592
Z35A554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YX35C1542
Z35T554CLDE	5"	6"	TPU A98 CROWN ON PP	4"	1.25"	150 LBS	5/16" A/NY	BLUE ON TAN	YX35C1542

40/42 MEDIUM/HEAVY DUTY

P&H has developed a broad line of casters to make light work of heavy loads. Our products are designed to handle loads up to 1500 lbs with ergonomics and maneuverability in mind to make any cart situation manageable for a broad spectrum of users.

Lumber Carts • Bulk Goods Carts • Distribution Carts •
Material Handling • Processing Equipment



Z40P342CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P342CLPL	4"	5.63"	TPU A98 CROWN ON PP	3.25"	2"	600 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z40P342CLPLB	4"	5.63"	TPU A98 CROWN ON PP	3.25"	2"	600 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z40P342LB5L	4"	5.63"	FLAT PHENOLIC	3.25"	2"	600 lbs	1/2" A/NY	BLACK	CASTER ONLY
Z42P342LB5L	4"	5.63"	FLAT PHENOLIC	-	2"	400 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342LBNL	4"	5.63"	FLAT PHENOLIC	3.25"	2"	400 LBS	1/2" A/NY	BLACK	YZ40P3424
Z42P342LBNL	4"	5.63"	FLAT PHENOLIC	-	2"	400 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342LBNLB	4"	5.63"	FLAT PHENOLIC	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342MBNL	4"	5.63"	FLAT RUBBER ON STEEL	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P342MBNL	4"	5.63"	FLAT RUBBER ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342MBNLB	4"	5.63"	FLAT RUBBER ON STEEL	3.25"	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342NGPL	4"	5.63"	TPR A70 CROWN ON PP	3.25"	2"	500 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3424
Z42P342NGPL	4"	5.63"	TPR A70 CROWN ON PP	-	2"	500 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3424
Z40P342OBNL	4"	5.63"	FLAT PO	3.25"	2"	500 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P342OBNL	4"	5.63"	FLAT PO	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3424
Z40P342OBNLB	4"	5.63"	FLAT PO	3.25"	2"	500 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P342ZPUL	4"	5.63"	DIE CAST TPU ON STEEL HUB	3.25"	2"	600 LBS	1/2" A/NY	RED ON SILVER	CASTER ONLY
Z42P342ZPUL	4"	5.63"	DIE CAST TPU ON STEEL HUB	-	2"	600 LBS	1/2" A/NY	RED ON SILVER	YZ42P3424
Z40P342ZPULB	4"	5.63"	DIE CAST TPU ON STEEL HUB	3.25"	2"	600 LBS	1/2" A/NY	RED ON SILVER	CASTER ONLY

40/42 MEDIUM HEAVY DUTY, CONTINUED



Z40P352MBNK

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P352CLPLB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524
Z40P352COPL	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3524
Z42P352COPL	5"	6.50"	TPU A98 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	TAN	YZ42P3524
Z40P352COPLB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3524
Z40P352LBZK	5"	6.50"	FLAT PHENOLIC	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z42P352LBZL	5"	6.50"	FLAT PHENOLIC	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3524
Z40P352LBZKB	5"	6.50"	FLAT PHENOLIC	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z40P352MBNK	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	500 LBS	1/2" A/N	BLACK	YZ40P3524
Z42P352MBNL	5"	6.50"	FLAT RUBBER ON STEEL	-	2"	500 LBS	1/2" A/NY	BLACK	YZ42P3524
	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	800 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3524
Z42P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	700 LBS	1/2" A/NY	LIGHT GRAY	YZ42P3524
Z40P352NGPLB	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3524
Z40P352OBNL	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z42P352OBNL	5"	6.50"	FLAT PO	-	2"	600 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z40P352OBNLB	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352QTPL	5"	6.50"	TPU A80 TPU ON PP	3.88"	2"	375 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3524
Z40P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY



Z42P352ZPUL



Z42P352MBNL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P352MBNL	5"	6.50"	FLAT RUBBER ON STEEL	-	2"	500 LBS	1/2" A/ NY	BLACK	YZ42P3524
Z40P352MBNKB	5"	6.50"	FLAT RUBBER ON STEEL	3.88"	2"	800 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3524
Z42P352NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	700 LBS	1/2" A/ NY	LIGHT GRAY	YZ42P3524
Z40P352NGPLB	5"	6.50"	TPR A70 CROWN ON PP	3.88"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3524
Z40P352OBNL	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z42P352OBNL	5"	6.50"	FLAT PO	-	2"	600 LBS	1/2" A/ NY	BLACK	CASTER ONLY
Z40P352OBNLB	5"	6.50"	FLAT PO	3.88"	2"	600 LBS	1/2" A/N	BLACK	CASTER ONLY
Z40P352QTPL	5"	6.50"	TPU A80 TPU ON PP	3.88"	2"	375 LBS	1/2" A/ NY	GRAY ON TAN	YZ40P3524
Z40P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY
Z42P352ZPUL	5"	6.50"	DIE CAST TPU ON STEEL HUB	-	2"	800 LBS	1/2" A/ NY	RED ON SILVER	YZ42P3524
Z40P352ZPULB	5"	6.50"	DIE CAST TPU ON STEEL HUB	3.88"	2"	800 LBS	1/2" A/N	RED ON SILVER	CASTER ONLY
Z40P3Y2CLPL	5"	6.13"	TPU A98 CROWN ON PP	3.75"	2"	800 LBS	1/2" A/ NY	BLUE ON TAN	YZ40P3424
Z42P3Y2NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	800 LBS	1/2" A/ NY	GRAY ON GRAY	YZ42P3424
Z40P3Y2NGPL	5"	6.13"	TPR A70 CROWN ON PP	3.75"	2"	700 LBS	1/2" A/ NY	GRAY ON GRAY	YZ40P3424
T40P352CL6L	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/ NY	BLUE ON TAN	YZ40P3524A

40/42 MEDIUM/HEAVY DUTY, CONTINUED



Z40P362CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z40P3Y2CLPL	5"	6.13"	TPU A98 CROWN ON PP	3.75"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3424
Z42P3Y2NGPL	5"	6.50"	TPR A70 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	GRAY ON GRAY	YZ42P3424
Z40P3Y2NGPL	5"	6.13"	TPR A70 CROWN ON PP	3.75"	2"	700 LBS	1/2" A/NY	GRAY ON GRAY	YZ40P3424
T40P352CL6L	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
T40P352CL6LB	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
Z42P154BHQH	5"	6.50"	ROUND TPU A98 ON PP	-	1.50"	300 LBS	3/8" A/N	BLACK ON CHROME	YZ22P1442E
Z40P352CLPK	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/N ZERK	BLUE ON TAN	YZ40P3524
Z40P352CLPL	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524
Z42P352CLPL	5"	6.50"	TPU A98 CROWN ON PP	-	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3524
Z40P352CLPLA	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
Z40P352CLPLA	5"	6.50"	TPU A98 CROWN ON PP	3.88"	2"	800 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3524A
T40P362CL6M	6"	7.50"	TPU A98 CROWN ON PP	4.63"	2"	1000 LBS	1/2" A/NSS	BLUE ON TAN	YT40P3624
Z40P362LBZK	6"	7.50"	FLAT PHENOLIC	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362CLPL	6"	7.50"	TPU A98 CROWN ON PP	4.63"	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3624
Z42P362CLPLB	6"	7.50"	TPU A98 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z40P362GTPL	6"	7.50"	TPU A75 ROUND ON PP	4.63"	2"	800 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z40P362GTPLB	6"	7.50"	TPU A75 ROUND ON PP	4.63"	2"	800 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624



Z42P362OBNL



Z40P362LBZKB

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P362LBZL	6"	7.50"	FLAT PHENOLIC	-	2"	800 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362LBZKB	6"	7.50"	FLAT PHENOLIC	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362MBNK	6"	7.50"	FLAT RUBBER ON STEEL	4.63"	2"	600 LBS	1/2" A/N	BLACK	YZ40P3624
Z42P362MBNL	6"	7.50"	FLAT RUBBER ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362MBNLB	6"	7.50"	FLAT RUBBER ON STEEL	4.63"	2"	1000 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362NTPL	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z42P362NTPL	6"	7.50"	TPR A70 CROWN ON PP	-	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3624
Z40P362NTPLB	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z40P362NTPLO	6"	7.50"	TPR A70 CROWN ON PP	4.63"	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3624
Z42P362NTPLO	6"	7.50"	TPR A70 CROWN ON PP	-	2"	900 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3624
Z40P362OBNK	6"	7.50"	FLAT PO	4.63"	2"	600 LBS	1/2" A/N	BLACK	YZ40P3624
Z40P362OBNLB	6"	7.50"	FLAT PO	4.63"	2"	800 LBS	1/2" A/N	BLACK	YZ40P3624
Z42P362OBNL	6"	7.50"	FLAT PO	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3624
Z40P362XBZLB	6"	7.50"	SOLID STEEL	4.63"	2"	1500 LBS	1/2" A/NY	BLACK	YZ40P3624
Z40P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	4.63"	2"	1000 LBS	1/2" A/N	RED ON SILVER	YZ40P3624
Z40P362ZPULB	6"	7.50"	DIE CAST TPU ON STEEL HUB	4.63"	2"	1000 LBS	1/2" A/N	RED ON SILVER	YZ40P3624
Z40P365SYOL	6"	7.50"	SEMI PNEUMATIC	4.63"	2.50"	800 LBS	1/2" A/NY	BLACK ON GRAY	YZ40P3624

40/42 MEDIUM/HEAVY DUTY, CONTINUED



0P382CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke Only Part #
Z42P362ULNLB	6"	7.50"	FLAT TPU A 98 ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z42P362ULNLB	6"	7.50"	FLAT TPU A 98 ON PP	-	2"	1000 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z42P362XBZL	6"	7.50"	SOLID STEEL	-	2"	1500 LBS	1/2" A/NY	BLACK	YZ42P3624
Z42P362ZPUL	6"	7.50"	DIE CAST TPU ON STEEL HUB	-	2"	1000 LBS	1/2" A/NY	RED ON SILVER	YZ42P3624
Z40P382BOPLB	8"	9.50"	TPU A98 ROUND ON PP	6.13"	2"	1200 LBS	1/2" A/NY	ORANGE ON TAN	YZ40P3824
Z40P382CLPL	8"	9.50"	TPU A98 CROWN ON PP	6.13"	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3824
Z40P382CLPLB	8"	9.50"	TPU A98 CROWN ON PP	6.13"	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ40P3824
Z40P382LBNL	8"	9.50"	FLAT PHENOLIC	6.13"	2"	800 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382LBNLB	8"	9.50"	FLAT PHENOLIC	6.13"	2"	800 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ40P3824
Z42P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3824
Z40P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z42P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3824



Z42P382YRPL



Z42P382NTPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Load Capacity	Axle	Color	Yoke OnlyPart #
Z40P382NTPLB	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ40P3824
Z42P382NEPLO	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON BLACK	YZ42P3824
Z40P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z42P382NTPL	8"	9.50"	TPR A70 CROWN ON PP	-	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ42P3824
Z40P382NTPLB	8"	9.50"	TPR A70 CROWN ON PP	6.13"	2"	1000 LBS	1/2" A/NY	GRAY ON TAN	YZ40P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382OBNL	8"	9.50"	FLAT PO	-	2"	1000 LBS	1/2" A/NY	BLACK	YZ42P3824
Z40P382OBNLB	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382PBPLB	8"	9.50"	PNEUMATIC	6.13"	2"	450 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382YRPL	8"	9.50"	DIE CAST TPU ON TREAD ON	-	2"	1000 LBS	1/2" A/NY	RED ON TAN	YZ42P3824
Z40P382OBNL	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382OBNLB	8"	9.50"	FLAT PO	6.13"	2"	1000 LBS	1/2" A/NY	BLACK	YZ40P3824
Z40P382PBPLB	8"	9.50"	PNEUMATIC	6.13"	2"	450 LBS	1/2" A/NY	BLACK	YZ40P3824
Z42P382YRPL	8"	9.50"	DIE CAST TPU ON TREAD ON	-	2"	1000 LBS	1/2" A/NY	RED ON TAN	YZ42P3824
Z40P382ZPUL	8"	9.50"	DIE CAST TPU ON STEEL HUB	6.13"	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ40P3824

40/42 MEDIUM/HEAVY DUTY, CONTINUED



Z42P3Z2CLPL

Part #	Wheel Diameter	Overall Height	Wheel Material	Swivel Radius	Tread Width	Tread Width	Axle	Color	Yoke Only Part #
Z42P382ZPUL	8"	9.50"	DIE CAST TPU ON STEEL HUB	-	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ42P3824
Z40P382ZPULB	8"	9.50"	DIE CAST TPU ON STEEL HUB	6.13"	2"	1200 LBS	1/2" A/NY	RED ON SILVER	YZ40P3824
Z42P382CLPL	8"	9.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3824
Z42P382COPL	8"	9.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	ORANGE ON TAN	YZ42P3824
Z42P382LBNL	8"	9.50"	FLAT PHENOLIC	-	2"	1200 LBS	1/2" A/NY	BLACK	CASTER ONLY
Z42P382MBNL	8"	9.50"	FLAT RUBBER ON STEEL	-	2"	800 LBS	1/2" A/NY	BLACK	YZ42P3824
Z42P3T2MBNL	8" Y WITH 6"W	8.50"	RUBBER FLAT ON STEEL	-	2"	600 LBS	1/2" A/NY	BLACK	YZ42P3824
Z42P3Z2CLPL	8"	8.50"	TPU A98 CROWN ON PP	-	2"	1200 LBS	1/2" A/NY	BLUE ON TAN	YZ42P3624
Z42P3Z2MBNK	8"	8.50"	FLAT RUBBER ON STEEL	-	2"	800 LBS	1/2" A/N	BLACK	YZ42P3624

CasterDepot®