



CasterDepot®

STEEL WHEELS



*W	C	20	5	4	L				
ITEM	MATERIAL	SERIES	DIAMETER	TREAD WIDTH	COLOR				
A	PO CROWN	10	LIGHT DUTY	0	10"	1	1"	A	LIGHT GRAY
B	TPU A98 ROUND ON PP	20	LIGHT/MEDIUM	1	12"	2	2"	B	BLACK
C	TPU A98 CROWN ON PP	30	SHOPPING CART	2	2"	3	1.50"	C	SCI GRAY ON GRAY
D	FOAM FILLED	33	TRAVELATOR	3	3"	4	1.25"	E	GRAY ON BLACK
E	SOLID URETHANE	34	TRAVELATOR PRECISION	4	4"	5	2.50"	F	BLACK ON TAN
F	TPR A90 FLAT ON PP	40	MEDIUM/HEAVY	5	5"	6	3"	G	GRAY ON GRAY
G	TPU A75 ROUND ON PP	50	HEAVY DUTY	6	6"	7	3/4"	H	BLACK ON CHROME
H	FLAT HIGH TEMP			7	3.50"	9	1 3/4"	I	BLACK ON WHITE
I	SOFT RUBBER			8	8"	A	24MM	J	BLUE ON GRAY
J	HARD RUBBER			9	2.5"	B	32MM	L	BLUE ON TAN
K	TPE A98 FLAT ON PP			A	50MM	C	30MM	M	GRAY ON CHROME
L	FLAT PHENOLIC			B	75MM	D	1/2"	N	GREEN
M	RUBBER FLAT ON STEEL			C	100MM	E	45 MM	O	ORANGE ON TAN
N	TPR A70 CROWN ON PP			D	125MM			P	RED ON SILVER
O	PO FLAT							R	RED ON TAN
P	PNEUMATIC							S	BLACK ON BRASS
Q	TPU A80 FLAT ON PP							T	GRAY ON TAN
R	TPR ROUND ON PP							U	BLUE
S	SEMI PNEUMATIC							V	SILVER
T	CROWN NR ON PP							W	WHITE
U	TPU A98 FLAT ON PP							Y	BLACK ON GRAY
V	RECYCLABLE A98 TREAD							X	GREEN ON SILVER
W	BLOW MOLDED							Z	ORANGE ON GRAY
X	SOLID STEEL							0	GRAY ON BLUE
Y	DIE CAST TPU TREAD ON PP							1	BLUE ON BROWN
Z	DIE CAST TPU ON STEEL HUB								
1	HIGH TEMP EPOXY RESIN								
2	SOFT SILICONE ON ALUMINUM								
3	NYLON FLAT								
4	A85 TPE FLAT ON PP								
5	TPU D60 FLAT ON PP								
6	TPE A85 CROWN ON PP								
7	TPE A80 CROWN ON PP								
8	TPU A90 ROUND ON PP								
9	TPU D64 FLAT ON PP								
0	PP D70-D72								

D

	BEARING		OPTION		ADDITIONAL OPTIONS
A	1/4 PLAIN	0	FRICTION	B	22 MM GAP
B	1/4 BALL	1	SINGLE BLADE TRAVELATOR WHEEL	M	21.3 MM GAP
C	5/16 PLAIN	3	TRIPLE BLADE UNITIZED TRAVELATOR	N	NO T.G.
D	5/16 DUAL PRECISION	5	DOUBLE UNITIZED DISC	T	T.G.
E	5/16 PLASTEEL	6	DUAL INDEPENDENT	U	17.3 MM GAP
F	5/16 QUAD X FRICTION	7	DUAL INDEPENDENT WITH NUCLEUS LOCK	W	4.8 MM DISC
G	5/16 QUAD X	8	DUAL INDEPENDENT WITH SQUARE TOP LOCK	X	4 MM DISC
H	3/8 PLAIN	9	DUAL INDEPENDENT WITH FLAT TOP LOCK	A	45 MM WIDTH
I	3/8 PLASTEEL	A	STAINLESS BEARINGS		
J	3/8 SINGLE PRECISION	B	5/16" SS 304 TOP HAT BUSHINGS		
K	3/8 DUAL PRECISION	C	CENTERED HUB		
L	3/8 QUAD X	D	DISSIPATIVE		
M	1/2 PLAIN	E	ELONGATED INNER RACEWAY SHAFTS		
N	1/2 ROLLER	F	FULL T.G.		
O	1/2 QUAD X	G	RED THREAD GUARD		
P	1/2 BALL	H	LARGE GRAY SNOW GUARD		
Q	5/8 DUAL PRECISION	I	GRAY T.G.		
R	5/8 BALL	L	LARGE BROWN SNOW GUARD		
S	3/4 DUAL PRECISION	M	SMALL TAN SNOWGUARD		
T	3/4 BALL	N	NO T.G.		
U	1/2 DUAL PRECISION	O	OFFSET HUB		
V	5/16 SINGLE PRECISION	P	METAL RETAINER CAPS		
W	5/16 STAINLESS PLASTEEL	R	LARGE TAN SNOWGUARD		
X	5/8 PLAIN	S	SMALL BROWN SNOW GUARD		
Y	3/4 PLAIN	T	T.G.		
Z	1 3/16 PLAIN	V	SS THREADGUARDS		
1	7/16 PLAIN	W	FLAT SPOT RESISTANT MATERIAL		
2	1/2" SS DUAL PRECISION	J	HEAVY DUTY HUB		
3	8MM PRECISION				
4	ADJ FRICTION				
5	1/2 ROLLER CAGED				
6	1/2 PLAIN, SS BUSHING & DELRIN				
7	5/16 DUAL STAINLESS STEEL PRECISION				
8	NO BEARING				
9	8MM PLAIN BORE				
0	12 -15 MM PRECISION				

WA1031BC

POLYOLEFIN

- Lightweight Construction
- Easy Maneuverability
- Economic
- Light Duty Applications

Display Racks • Small Fixtures • Low Mobility Requirements



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WA1031BC	3"	1"	1.13"	150 LBS	PLAIN	3/8"	BLACK
WA2031BC	3"	1"	1.44"	150 LBS	PLAIN	5/16"	BLACK
WA2031BH	3"	1"	1.44"	150 LBS	PLAIN	3/8"	BLACK
WA1034BH	4"	1.25"	1.56"	200 LBS	PLAIN	3/8"	BLACK
WA2041BN	4"	.88"	1"	150 LBS	BUSHING	5/16"	BLACK
WA2044THN	4"	1.25"	1.56"	200 LBS	BUSHING	3/8"	GRAY
WA2044TKN	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	3/8"	GRAY ON TAN
WA2051BC	5"	1"	1.19"	150 LBS	PLAIN	5/16"	BLACK
WA2053BM	5"	1.50"	2.44"	150 LBS	PLAIN	1/2"	BLACK
WA2054BC	5"	1.25"	1.56"	225 LBS	PLAIN	5/16"	BLACK
WA4052BN	5"	2"	2.44"	500 LBS	ROLLER BEARING	1/2"	BLACK
WA4052BY	5"	2"	2.44"	500 LBS	PLAIN	3/4"	BLACK
WO4062BN	6"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLACK
WO4082BN	8"	2"	2.50"	800 LBS	ROLLER BEARING	1/2"	BLACK

COLOR OPTIONS

B



T



BEARING OPTIONS

H



N



TREAD OPTION(S)



RUBBER

- Soft Tread for Shock Absorption
- Easy Maneuverability
- Smooth & Quiet Rolling
- Broad Range of Applications

Transportation Racks • Outdoor Carts • Light Industrial



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WJ1021BZ	2"	1"	1"	85 LBS	PLAIN	6 MM	BLACK
WM4042BN	4"	2"	2.44"	300 LBS	ROLLER BEARING	1/2"	BLACK
WI2054GD	5"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WI2054JDW	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON GRAY
WI3054JFW	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON GRAY
WM4052BN	5"	2"	2.44"	500 LBS	ROLLER BEARING	1/2"	BLACK
WJ1063IMO	6"	1.50"	1.32"	150 LBS	PLAIN	1/2"	BLACK ON WHITE
WM4062BN	6"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLACK
WM4082BN	8"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK
WM4082BNP	8"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK
WM4002BN	10"	2"	2.88"	1000 LBS	ROLLER BEARING	3/4"	BLACK
WM4005BN	10"	2.50"	2.88"	1000 LBS	ROLLER BEARING	3/4"	BLACK
WM4015BN	12"	2.50"	3"	1200 LBS	ROLLER BEARING	3/4"	BLACK


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



WN2054EG

TPR

- Maintenance Free
- Easy Maneuverability
- Smooth & Quiet Rolling
- Resists Debris Impregnation

Distribution Racks • Food Service • Retail • Hospitality •



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WN1044ECN	4"	1.25"	1.56"	175 LBS	5/16 PLAIN	5/16"	GRAY ON BLACK
WN2044GJ	4"	1.25"	1.63"	150 LBS	SINGLE PRECISION	3/8"	GRAY ON GRAY
WN4042TP	4"	1.25"	1.63"	150 LBS	SINGLE PRECISION	3/8"	GRAY ON GRAY
WV2054ED	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON BLACK
WN2051EC	5"	1"	1.19"	150 LBS	PLAIN	5/16"	GRAY ON BLACK
WN2054EG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON BLACK
WN2054TG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON TAN
WN4052AP	5"	2"	2.50"	325 LBS	DUAL QUAD X	1/2"	LIGHT GRAY
WN4062TP	6"	2"	2.50"	375 LBS	DUAL QUAD X	1/2"	GRAY
WF4082TN	8"	2"	2.44"	450 LBS	ROLLER BEARING	1/2"	GRAY ON TAN
WF4083EQ	8"	1.50"	1.50"	325 LBS	DUAL PRECISION	5/8"	GRAY ON BLACK
WN4082GO	8"	2"	2.50"	450 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY

COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



PHENOLIC AND EPOXY

- Solid Compression Molded
- Easy Maneuverability
- Economic
- High Load Capacity

Bakery • Heavy-Duty applications • Display Racks • Machinery Stands



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
W12043ND	4"	1.50"	1 3/4"	500 LBS	DUAL PRECISION	5/16	GREEN
W12043NH	4"	1.50"	1 3/4"	500 LBS	BUSHING	5/16"	GREEN
W12043NK	4"	1.50"	1 3/4"	500 LBS	DUAL PRECISION	3/8	GREEN
W22043N2B	4"	1.50"	1.82"	300 LBS	DUAL PRECISION	5/16"	GREEN
W22043NUB	4"	1.50"	1.82"	300 LBS	DUAL PRECISION	5/16"	GREEN
WH2043BC	4"	1.50"	1 3/4"	400 LBS	PLAIN	5/16"	BLACK
WH2043NC	4"	1.50"	1 3/4"	400 LBS	PLAIN	5/16"	GREEN
WH2043NM	4"	1.50"	1 3/4"	400 LBS	PLAIN	1/2"	GREEN
WL4042BN	4"	2"	2.19"	400 LBS	ROLLER BEARING	1/2"	BLACK
WH4052NM	5"	2"	2.44"	500 LBS	PLAIN	1/2"	GREEN
WL4052BZ	5"	2"	2.44"	500 LBS	PLAIN	1.19"	BLACK
WH4062NM	6"	2"	2.44"	800 LBS	PLAIN	1/2"	GREEN
WL4062BN	6"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLACK

COLOR OPTIONS

N



B



BEARING OPTIONS


H



N



TREAD OPTION(S)



SEMI PNEUMATIC

- Maintains Constant Air Pressure
- Ideal for Towing Applications
- Great for Off-Road Use
- Quiet Rolling

Transportation • Hand Trucks • Outdoor • High Traffic



WS4065YP

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WS4062BO	6"	2"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK
WS4065YP	6"	2.50"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK ON GRAY
WS4082BO	8"	2"	2.50"	500 LBS	BALL BEARING	1/2"	BLACK
WS4082BOO	8"	2"	2.50"	500 LBS	BALL BEARING	1/2"	BLACK
WS4082BT	8"	2"	2.50"	500 LBS	BALL BEARING	3/4"	BLACK
WS4082YO	8"	2"	2.50"	400 LBS	DUAL QUAD X	1/2"	BLACK ON GRAY
WS4089YBO	8"	1.75"	2"	500 LBS	DUAL PRECISION	1/2"	BLACK ON GRAY
WS4005YPC	10"	2.50"	2 3/4"	500 LBS	BALL BEARING	1/2"	BLACK ON GRAY
WS4005YRC	10"	2.50"	2 3/4"	500 LBS	BALL BEARING	5/8"	BLACK ON GRAY
WS4005YRO	10"	2.50"	2.50"	500 LBS	BALL BEARING	5/8"	BLACK ON GRAY

COLOR OPTIONS



BEARING OPTIONS



TREAD OPTION(S)



WP4062BO

PNEUMATIC

- Ideal for Towing Applications
- Great for Off-Road Use
- Quiet Rolling
- Easy Maneuverability

Transportation • Garden Carts • Hand Trucks • Hospitality



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WP4062BO	6"	2"	2.50"	350 LBS	BALL BEARING	1/2"	BLACK
WP4082BP	8"	2"	2.50"	450 LBS	BALL BEARING	1/2"	BLACK

COLOR OPTIONS

B



BEARING OPTIONS

D



TREAD OPTION(S)



SILICONE RUBBER

- A70 Soft Rubber on Aluminum
- Quiet Operation
- Dual Large Precision Bearings
- High Temp Grease

W22043NUB



W22043NUB	4"	1.50"	"	LBS	DUAL PRECISION	1/2"	GREEN
W22043N2B	4"	1.50"	"	LBS	SS DUAL PRECISION	1/2"	GREEN

COLOR OPTIONS

N



BEARING OPTIONS

U

2



TREAD OPTION(S)



POLYURETHANE
A75 TPU ROUND TREAD

- Soft Durable Tread
- Quiet Rolling On All Surfaces
- Premium Performance
- Enhances Carts Mobility



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WG1091BB	2.50"	1"	1.25"	70 LBS	BALL BEARING	5/16"	BLACK
WG2044YD	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	BLACK ON GRAY
WG2054ED	5"	1.25"	1.56"	225 LBS	DUAL PRECISION	5/16"	GRAY ON BLACK
WG2054GD	5"	1.25"	1.56"	150 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY

CasterDepot®


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE
A80 TPU FLAT TREAD

- Soft Durable Tread
- Quiet Rolling On All Surfaces
- Premium Performance
- Enhances Carts Mobility



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WQ3054GG	5"	1.25"	1.63"	225 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WQ2054YD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLACK ON GRAY
WQ2064GD	6"	1.32"	1.63"	250 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WQ4083YQ	8"	1.50"	1.50"	400 LBS	DUAL PRECISION	5/8"	BLACK ON GRAY

CasterDepot®


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



WC4042LP

POLYURETHANE A98 TPU CROWN TREAD

- Effortless Mobility
- Long Lifespan
- Smooth, Quiet Operation
- Premium Performance



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WC2034LG	3"	1.25"	1.56"	125 LBS	DUAL QUAD X	3/8"	BLUE ON TAN
WC2044BC	4"	1.25"	1.63"	200 LBS	PLAIN	5/16"	BLACK
WC4042LP	4"	2"	2.50"	600 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC2044GD	4"	1.25"	1.56"	200 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WC2044LG	4"	1.25"	1.56"	200 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC2054BC	5"	1.25"	1.63"	250 LBS	PLAIN	5/16"	BLACK
WC2054BE	5"	1.25"	1.56"	250 LBS	PLASTEEL	5/16"	BLACK
WC2054BH	5"	1.25"	1.63"	250 LBS	PLAIN	3/8"	BLACK
WC2054EG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON BLACK
WC2054GD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WC2054LD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	BLUE ON TAN
WC2054LE	5"	1.25"	1.56"	250 LBS	PLASTELL	5/16"	BLUE ON TAN
WC2054LF	5"	1.25"	1.56"	250 LBS	QUAD X FRICTION	5/16"	BLUE ON TAN
WC2054LI	5"	1.25"	1.56"	250 LBS	PLASTEEL	3/8"	BLUE ON TAN
WC2054LW	5"	1.25"	1.56"	250 LBS	STAINLESS PRECISION	5/16"	BLUE ON TAN
WC2054RKN	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	3/8"	RED ON TAN
WC2054TD	5"	1.25"	1.56"	250 LBS	DUAL PRECISION	5/16"	GRAY ON TAN
WC2054TK	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	3/8"	GRAY ON TAN

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WC3054GC	5"	1.25"	1.56"	250 LBS	PLAIN	5/16"	GRAY ON GRAY
WC3054GG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3054GGD	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3054LF	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LG	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGD	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGL	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC3054LGS	5"	1.25"	1.63"	250 LBS	DUAL QUAD X	5/16"	BLUE ON TAN
WC4052GO	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY
WC4052LMA	5"	2"	2.50"	800 LBS	PLAIN	1/2"	BLUE ON TAN
WC4052LP	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4052OO	5"	2"	2.50"	800 LBS	DUAL QUAD X	1/2"	ORANGE ON TAN
WC4062GO	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	GRAY ON GRAY
WC4062LMA	6"	2"	2.50"	1000 LBS	PLAIN	1/2"	BLUE ON TAN
WC4062LP	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4062ZO	6"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	ORANGE ON GRAY
WC3064GG	6"	1.25"	1.50"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC3064GGD	6"	1.25"	1.50"	250 LBS	DUAL QUAD X	5/16"	GRAY ON GRAY
WC4082LN	8"	2"	2.50"	1200 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WC4082LP	8"	2"	2.50"	1200 LBS	DUAL QUAD X	1/2"	BLUE ON TAN
WC4082LZ	8"	2"	2.50"	1200 LBS	PLAIN	1.19"	BLUE ON TAN
WC4082OO	8"	2"	2.50"	1200 LBS	DUAL QUAD X	1/2"	ORANGE ON TAN
WC4082LM	8"	2"	2.44"	1200 LBS	PLAIN	1/2"	BLUE ON TAN


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE A98 TPU FLAT TREAD


- High Load Capacity
- Long Lifespan
- Effortless Mobility
- Premium Performance



WU4062LN

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WU4042LN	4"	2"	2.44"	600 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU3354GD3	5"	1"	1.56"	250 LBS	DUAL PRECISION	3/8"	GRAY ON GRAY
WU3354GD1	5"	1.25"	2"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU3354GD6M	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU3354GD6U	5"	1.25"	1.63"	250 LBS	DUAL PRECISION	M8	GRAY ON GRAY
WU4052LN	5"	2"	2.44"	800 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU4052LP	5"	2"	2.44"	800 LBS	BALL BEARING	1/2"	BLUE ON TAN
WU4062LD	6"	2"	2.44"	1000 LBS	DUAL PRECISION	1/2"	BLUE ON TAN
WU4062LN	6"	2"	2.44"	1000 LBS	ROLLER BEARING	1/2"	BLUE ON TAN®
WU4062LZ	6"	2"	2.44"	1000 LBS	PLAIN	1.19"	BLUE ON TAN
WU4082LN	8"	2"	2.44"	1200 LBS	ROLLER BEARING	1/2"	BLUE ON TAN
WU4082LO	8"	2"	2.44"	1200 LBS	DUAL QUAD X	1/2"	BLUE ON TAN


COLOR OPTIONS



BEARING OPTIONS



TREAD OPTIONS



POLYURETHANE
A98 TPU ROUND TREAD

- Effortless Mobility
- Long Lifespan
- Smooth, Quiet Operation
- Premium Performance



WB2054HQ

Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WB2052GD	5"	1.25"	1.56"	150 LBS	DUAL PRECISION	5/16"	GRAY ON GRAY
WB2054HQ	5"	1.25"	1.63"	300 LBS	DUAL PRECISION	5/8"	BLACK ON CHROME

COLOR OPTIONS

H




BEARING OPTIONS

Q



TREAD OPTIONS



POLYURETHANE
DIE CAST PU ON STEEL HUB

- Great For Towing Operations
- High Load Capacity
- Effortless Mobility
- Long Lifespan



WZ4052PUN

WZ4042PUN	4"	2"	2.44"	800 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4052PUN	5"	2"	2.44"	1000 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4062PUN	6"	2"	2.44"	1200 LBS	DUAL PRECISION	1/2"	RED ON SILVER
WZ4082PUN	8"	2"	2.44"	1400 LBS	DUAL PRECISION	1/2"	RED ON SILVER

COLOR OPTIONS

P



BEARING OPTIONS

Q



TREAD OPTIONS



WHEELS

casterdepot.com

WY4082RP

POLYURETHANE DIE CAST PU ON PP HUB

- Great For Towing Operations
- High Load Capacity
- Effortless Mobility
- Long Lifespan



Part #	Wheel Diameter	Tread Width	Hub Width	Load Capacity	Bearing Type	Wheels Bearing Bore	Color
WY4082RP	8"	2"	2.50"	1000 LBS	DUAL QUAD X	1/2"	RED ON TAN

COLOR OPTION

R



BEARING OPTIONS

Q



TREAD OPTIONS



POLYURETHANE SOLID URETHANE

WE4052UU

- Chemical Resistant
- High Load Capacity
- Effortless Mobility
- Long Lifespan



WE4042UU	4"	2"	2.50"	800 LBS	DUAL PRECISION	1/2"	BLUE
WE4052UU	5"	2"	2.50"	1000 LBS	DUAL PRECISION	1/2"	BLUE
WE4062UU	6"	2"	2.50"	1200 LBS	DUAL PRECISION	1/2"	BLUE
WE4082UU	8"	2"	2.50"	1400 LBS	DUAL PRECISION	1/2"	BLUE

COLOR OPTIONS

U



BEARING OPTIONS

Q



TREAD OPTIONS

